



---

## Tegundaskrá smádyra

---

### Arachnida

#### Araneae

##### Agelenidae

^ <i>Eratigena atrica</i> (C.L. Koch, 1843)	Skemmukönguló
^ <i>Eratigena duellica</i> (Simon, 1875)	Farmkönguló
^ <i>Eratigena saeva</i> (Blackwall, 1844)	Fraktkönguló
<i>Eratigena</i> sp.	
^ <i>Tegenaria domestica</i> (Clerck, 1758)	Húsakönguló
^ <i>Tegenaria ferruginea</i> (Panzer, 1804)	Ryðkönguló

##### Amaurobiidae

\**Amaurobius similis* (Blackwall, 1861)

##### Araneidae

<i>Araneus diadematus</i> Clerck, 1757	Krosskönguló
<i>Araneus marmoreus</i> Clerck, 1757	Skartkönguló
* <i>Araneus quadratus</i> Clerck, 1757	Grímukönguló
<i>Araneus</i> sp.	
* <i>Argiope bruennichi</i> (Scopoli, 1772)	
<i>Larinioides cornutus</i> (Clerck, 1757)	Sveipkönguló
<i>Larinioides patagiatus</i> (Clerck, 1757)	Maurkönguló
* <i>Larinioides sclopetarius</i> (Clerck, 1757)	
* <i>Nuctenea umbratica</i> (Clerck, 1757)	
^ <i>Zygiella x-notana</i> (Clerck, 1757)	Ylkönguló

##### Cheiracanthiidae

\**Cheiracanthium mildei* L.Koch, 1864

##### Clubionidae

\**Clubiona phragmitis* C.L. Koch, 1843

##### Dictynidae

*Dictyna arundinacea* (Linnaeus, 1758)

##### Eusparassidae

\**Micrommata virescens* (Clerck, 1757)

##### Gnaphosidae

<i>Gnaphosa lapponum</i> (L. Koch, 1866)	Hrafnakönguló
<i>Haplodrassus signifer</i> (C.L. Koch, 1839)	Hagakönguló
<i>Micaria pulicaria</i> (Sundevall, 1832)	Hýrukönguló

##### Linyphiidae

<i>Agyneta decora</i> (O.P.-Cambridge, 1870)	Buraló
<i>Agyneta similis</i> (Kulczynski, 1926)	Mosaló



---

<i>?Agyneta subtilis</i> (O.P.-Cambridge, 1863)	
<i>Allomengea scopigera</i> (Grube, 1859)	Burstaló
<i>Bathyphantes gracilis</i> (Blackwall, 1841)	Væðuló
<i>Bolephthyphantes index</i> (Thorell, 1856)	Snæló
<i>Centromerita bicolor</i> (Blackwall, 1833)	Hjarnló
<i>Centromerus prudens</i> (O.P.-Cambridge, 1873)	Húmaló
<i>Ceratinella brevipes</i> (Westring, 1851)	Hnyðjuló
<i>Cnephalocotes obscurus</i> (Blackwall, 1834)	Gáraló
<i>Collinsia holmgreni</i> (Thorell, 1871)	Kembuló
<i>Collinsia spitsbergensis</i> (Thorell, 1871)	Fjallaló
<i>Diplocentria bidentata</i> (Emerton, 1882)	Bjarkarló
<i>Diplocephalus cristatus</i> (Blackwall, 1833)	Þursaló
<i>Diplocephalus permixtus</i> (O.P.-Cambridge, 1871)	Laugaló
<i>Dismodicus bifrons</i> (Blackwall, 1841)	Krúnuló
<i>Drepanotylus uncatatus</i> (O.P.-Cambridge, 1873)	Hnokkaló
<i>Entelecara erythropus</i> (Westring, 1851)	Hnúfuló
<i>Entelecara media</i> (Kulczynski, 1887)	Gamburló
<i>Erigone arctica</i> (White, 1852)	Blökkuló
<i>Erigone atra</i> Blackwall, 1833	Sortuló
<i>Erigone capra</i> Simon, 1884	Dýjaló
<i>Erigone longipalpis</i> (Sundevall, 1830)	Fitjaló
<i>Erigone psychrophila</i> Thorell, 1871	Mýraló
<i>Erigone sp.</i>	
<i>Erigone tirolensis</i> L. Koch, 1872	Heiðaló
<i>Gonatium rubens</i> (Blackwall, 1833)	Roðaló
<i>Halorates reprobus</i> (O.P.-Cambridge, 1879)	Fjöruló
<i>Hilaira frigida</i> (Thorell, 1872)	Freraló
<i>Hylyphantes gramnicola</i> (Sundevall, 1829)	Buskaló
<i>Hypselistes jacksoni</i> (P.O.-Cambridge, 1902)	
<i>Improphantes complicatus</i> (Emerton, 1882)	Ranaló
<i>Islandiana princeps</i> Brændegaard, 1932	Ljósuló
<i>Latithorax faustus</i> (O.P.-Cambridge, 1900)	Auðnuló
<i>Lepthyphantes leprosus</i> (Ohlert, 1865)	Kompuló
<i>Lepthyphantes sp.</i>	
<i>Leptorhoptrum robustum</i> (Westring, 1851)	Skurðaló
<i>Leptothrix hardyi</i> (Blackwall, 1850)	Hærunló
<i>Linyphiidae (juv.)</i>	



*Linyphiidae ógr. ad.*

<i>Maro lehtineni</i> Saaristo, 1971	Putaló
<i>Maro minutus</i> (O.P.-Cambridge, 1906)	Nóraló
<i>Maso sundevalli</i> (Westring, 1851)	Lænuló
<i>Mecynargus borealis</i> (Jackson, 1930)	Melaló
<i>Mecynargus morulus</i> (O.P.-Cambridge, 1873)	Móaló
<i>Meioneta nigripes</i> (Simon, 1884)	Urðaló
<i>Microctenonyx subitaneus</i> (O.P.-Cambridge, 1875)	Hlöðuló
<i>Ostearius melanopygius</i> (O.P.-Cambridge, 1879)	Bleikjuló
<i>Palliduphantes pallidus</i> (O.P.-Cambridge, 1871)	Doðaló
<i>Porrhomma convexum</i> (Westring, 1861)	Brekaló
<i>Porrhomma hebescens</i> (L. Koch, 1879)	Sytruló
<i>Porrhomma oblitum</i> (O.P.-Cambridge, 1870)	Hulduló
<i>Saaristoa abnormis</i> (Blackwall, 1841)	Drangaló
<i>Savignya frontata</i> Blackwall, 1833	Snoppuló
<i>Scotinytus evansi</i> (O.P.-Cambridge, 1894)	Holtaló
<i>Silometopus ambiguus</i> (O.P.-Cambridge, 1905)	Sléttuló
<i>Tapinocyba pallens</i> (O.P.-Cambridge, 1872)	Gránuló
? <i>Tenuiphantes cristatus</i> (Menge, 1866)	
<i>Tenuiphantes mengei</i> (Kulczynski, 1887)	Randaló
<i>Tenuiphantes zimmermanni</i> Bertkau, 1890	Flákaló
<i>Thyreosthenius parasiticus</i> (Westring, 1851)	Haugaló
<i>Tiso aestivus</i> (L. Koch, 1872)	Svarðló
<i>Wabasso questio</i> (Camberlin, 1948)	Álfaló
<i>Walckenaeria atrotibialis</i> (O.P.-Cambridge, 1878)	Skógaló
<i>Walckenaeria clavicornis</i> (Emerton, 1882)	Finuló
<i>Walckenaeria cuspidata</i> (Blackwall, 1833)	Flipaló
<i>Walckenaeria nodosa</i> O.P.-Cambridge, 1873	Hnubbaló
<i>Walckenaeria nudipalpis</i> (Westring, 1851)	Brekkuó

Lycosidae

<i>Arctosa alpigena</i> (Doleschal, 1852)	Heiðakönguló
? <i>Pardosa furcifera</i> (Thorell, 1875)	
? <i>Pardosa groenlandica</i> (Thorell, 1872)	
<i>Pardosa hyperborea</i> (Thorell, 1872)	Skóggönguló
<i>Pardosa palustris</i> (Linnaeus, 1758)	Hnoðakönguló
? <i>Pardosa pullata</i> (Clerck, 1757)	
<i>Pardosa sphagnicola</i> (Dahl, 1908)	Mýrakönguló



---

<i>Pardosa sp. (juv)</i>	
<i>Pirata piraticus</i> (Clerck, 1757)	Laugakönguló
* <i>Trochosa ruricola</i> (DeGeer, 1778)	
Oonopidae	
? <i>Gamasomorpha loricatula</i> (Roewer, 1942)	
Pholcidae	
* <i>Holocnemus pluchei</i> (Scopoli, 1763)	
^ <i>Pholcus phalangioides</i> (Fuesslin, 1775)	Leggjakönguló
* <i>Pholcus sp.</i>	
Salticidae	
* <i>Hasarius adansoni</i> (Audouin, 1826)	Veifukönguló
* <i>Heliophanus cupreus</i> (Walckenaer, 1802)	
* <i>Icius congener</i> (Simon, 1871)	Krúttkönguló
* <i>Marpissa muscosa</i> (Clerck, 1757)	Skuggakönguló
* <i>Phidippus audax</i> (Hentz, 1845)	Krúnukönguló
* <i>Phidippus johnsoni</i> (Peckham & Peckham, 1883)	Þrúgukönguló
* <i>Philaeus chrysops</i> (Poda, 1761)	Eldkönguló
* <i>Pseudeuophrys cf erratica</i> (Walckenaer, 1826)	Rústakönguló
<i>Salticidae ógr.</i>	
* <i>Salticus scenicus</i> (Clerck, 1757)	Sebrakönguló
* <i>Synageles venator</i> (Lucas, 1836)	
Segestriidae	
* <i>Segestria bavarica</i> C.L. Koch, 1843	
* <i>Segestria florentina</i> (Rossi, 1790)	Kjallarakönguló
Selenopidae	
* <i>Selenops radiatus</i> Latreille, 1819	
Sicaridae	
* <i>Loxoscelis reclusa</i> Gertsch & Mulaik, 1940	
Tetragnathidae	
<i>Metallina mengei</i> (Blackwall, 1869)	Kjarrkönguló
<i>Tetragnatha extensa</i> (Linnaeus, 1758)	Randakönguló
Theridiidae	
* <i>Enoplognatha ovata</i> (Clerck, 1757)	
* <i>Latrodectus geometricus</i> Koch, 1841	
* <i>Latrodectus indistinctus</i> O.P.-Cambridge, 1904	
* <i>Latrodectus mactans</i> (Fabricius, 1775)	Svartekkjá
* <i>Latrodectus sp.</i>	
* <i>Latrodectus variolus</i> Walckenaer, 1837	
^ <i>Parasteatoda tepidariorum</i> (C.L. Koch, 1841)	Búldukönguló



<i>Robertus arundineti</i> (O.P.-Cambridge, 1871)	Hróakönguló
<i>Robertus lyrifer</i> (Holm, 1939)	Bragkönguló
<i>Rugathodes bellicosus</i> (Simon, 1873)	Klettakönguló
<i>Steatoda bipunctata</i> (Linnaeus, 1758)	Bæjarkönguló
* <i>Steatoda grossa</i> (C.L. Koch, 1838)	
* <i>Steatoda nobilis</i> (Thorell, 1875)	Kranskönguló
* <i>Steatoda paykulliana</i> (Walckenaer, 1805)	
* <i>Steatoda triangulosa</i> (Walckenaer, 1802)	Skúmkönguló
<i>Theonoe minutissima</i> (O.P.-Cambridge, 1879)	Dvergekönguló
* <i>Theridiidae</i> ógr.	
* <i>Theridion varians</i> Hahn, 1833	Bólkönguló
Thomisidae	
* <i>Xysticus audax</i> (Schrank, 1803)	
<i>Xysticus cristatus</i> (Clerck, 1757)	Krabbakönguló
Uloboridae	
^ <i>Uloborus plumipes</i> Lucas, 1846	Fjaðurkönguló
* <i>Uloborus</i> sp.	
Ixodida	
Ixodidae	
* <i>Amblyomma americanum</i> (Linnaeus, 1758)	Stjörnumítill
* <i>Dermacentor variabilis</i> (Say, 1821)	Rakkamítill
* <i>Haemaphysalis erinacei</i> Pavesi, 1884	
* <i>Hyalomma aegyptum</i> (Linnaeus, 1758)	Skjaldbökmítill
<i>Ixodes caledonicus</i> Nuttall, 1910	Klettamítill
* <i>Ixodes cf. scapularis</i> Say, 1821	Dádýramítill
* <i>Ixodes frontalis</i> Panzer, 1798	
* <i>Ixodes hexagonus</i> Leach, 1815	Broddgaltamítill
* <i>Ixodes ricinus</i> (Linnaeus, 1758)	Skógarmítill
<i>Ixodes rothschildi</i> Nuttall & Warburton, 1911	Holumítill
<i>Ixodes uriae</i> White, 1852	Lundamítill
<i>Ixodidae</i> ógr.	
* <i>Rhipicephalus sanguineus s.l.</i> (Latreille, 1806)	Hundamítill
Mesostigmata	
Dermanyssidae	
<i>Dermanyssus gallinae</i> (De Geer, 1778)	Hænsnamítill
Laelapidae	
<i>Eulaelaps stabularis</i> (C.L. Koch, 1836)	
<i>Myonyssus decumani</i> Tiraboschi, 1904	
Macronyssidae	



---

<i>Ornithonyssus bacoti</i> Hirst, 1913	Rottumítill
<i>Ornithonyssus sylviarum</i> (Canestrini & Fanzago, 1877)	
Parasitidae	
<i>Parasitellus fucorum</i> (De Geer, 1778)	Humlumítill
Opiliones	
Nemastomatidae	
<i>Nemastoma bimaculatum</i> (Fabricius, 1775)	Smáleggur
Phalangidae	
<i>Megabunus diadema</i> (Fabricius, 1779)	Krónuleggur
<i>Mitopus morio</i> (Fabricius, 1779)	Langleggur
<i>Oligolophus tridens</i> (C.L. Koch, 1836)	Spóaleggur
* <i>Opilio parietinus</i> (De Geer, 1778)	
<i>Phalangidae</i> ógr.	
Oribatida	
Glycyphagidae	
<i>Glycyphagus domesticus</i> (De Geer, 1778)	
Prostigmata	
Bdellidae	
<i>Neomolgus littoralis</i> (Linnaeus, XXXX)	Klapparmítill
Erythraeidae	
<i>Leptus beroni</i> Fain, 1992	Langfætlumítill
Tetranychidae	
<i>Bryobia praetiosa</i> Koch, 1836	Grasmítill
^ <i>Tetranychus urticae</i> C.L. Koch, 1836	Spunamítill
Pseudoscorpiones	
Cheliferidae	
<i>Chelifer cancroides</i> (Linnaeus, 1761)	Húsadreki
Neobisiidae	
<i>Neobisium carcinoides</i> (Leach, 1817)	Mosadreki
Scorpiones	
Euscorpiidae	
* <i>Euscorpius flavicaudis</i> (De Geer, 1778)	Týrusporðreki
* <i>Euscorpius italicus</i> (Herbst, 1800)	Rústasporðreki
* <i>Euscorpius</i> sp.	
XXXAcari	
XXXAcaridae	
<i>Acari</i> ógr.	
<b>Branchiopoda</b>	
Notostraca	
Triopsidae	
<i>Lepidurus arcticus</i> (Pallas, 1793)	Skötuormur

## Chilopoda

---

\* innflutt / imported    ^ innanhúss / indoors    " með vindum / airborne    † útdauð / extinct    ? óljós / unclear



Geophilomorpha

Geophilidae

<i>Geophilus electricus</i> (Linnaeus, 1758)	Nöðrufætla
<i>Geophilus proximus</i> C.L. Koch, 1847	Snákfætla
<i>Geophilus truncorum</i> Bergsöe & Meinert, 1866	Ormfætla

Himantariidae

<i>Stigmatogaster subterraneus</i> (Shaw, 1789)	Þráðfætla
---	-----------

Lithobiomorpha

Henicopidae

<i>Lamyctes emarginatus</i> (Newport, 1844)	Bakkafætla
---	------------

Lithobiidae

<i>Lithobius erythrocephalus</i> C.L. Koch, 1847	Hagafætla
<i>Lithobius forficatus</i> (Linnaeus, 1758)	Garðfætla
<i>Lithobius melanops</i> Newport, 1845	Mófætla

Scutigeromorpha

Scutigeridae

* <i>Scutigera coleoptrata</i> (Linnaeus, 1758)	Húsfætla
---	----------

**Clitellata**

Haplotaxida

Lumbricidae

<i>Aporrectodea caliginosa</i> (Savigny, 1826)	Grááni
<i>Aporrectodea longa</i> (Ude. 1885)	Langáni
<i>Aporrectodea rosea</i> (Savigny, 1826)	Rauðáni
<i>Dendrobaena octaedra</i> (Savigny, 1826)	Mosaáni
<i>Dendrodrilus rubidus</i> (Savigny, 1826)	Svarðáni
<i>Eisenia fetida</i> (Savigny, 1826)	Haugáni
<i>Eisenia tetraedra</i> (Savigny, 1826)	Votáni
<i>Lumbricus castaneus</i> (Savigny, 1826)	
<i>Lumbricus rubellus</i> Hoffmeister, 1843	Taðáni
<i>Lumbricus terrestris</i> Linnaeus, 1758	Stóráni
<i>Octolasion cyaneum</i> (Savigny, 1826)	Blááni

Megascolecidae

\**Amyntas* sp.

Lumbriculida

Lumbriculidae

<i>Lumbriculus variegatus</i> (Müller, 1774)	
--	--

Tubificida

Enchytraeidae

*Enchytraeidae* ógr.

**Diplopoda**

Julida

Blaniulidae



---

<i>Blaniulus guttulatus</i> (Fabricius, 1798)	Dropatvífætla
<i>Boreoiulus tenuis</i> (Bigler, 1913)	Nátvífætla
<i>Choneiulus palmatus</i> (Nemec, 1895)	Slöngutvífætla
<i>Proteroiulus fuscus</i> (Am Stein, 1857)	Barkartvífætla

Julidae

<i>Allajulus nitidus</i> (Verhoeff, 1891)	Gljátvífætla
<i>Cylindroiulus britannicus</i> (Verhoeff, 1891)	Maðkatvífætla
<i>Cylindroiulus latestriatus</i> (Curtis, 1845)	Strandtvífætla
<i>Cylindroiulus sp.</i>	

Polydesmida

Paradoxosomatidae

<sup>^</sup> <i>Oxidus gracilis</i> (C.L. Koch, 1847)	Potttvífætla
---	--------------

Polydesmidae

<i>Brachydesmus superus</i> Latzel, 1884	Fölvatvífætla
<i>Polydesmus inconstans</i> Latzel, 1884	Túntvífætla

**Entognatha**

Collembola

Arrhopalitidae

<i>Arrhopalites caecus</i> (Tullberg, 1871)	
<i>Arrhopalites principalis</i> Stach, 1945	

Bourletiellidae

<i>Bourletiella hortensis</i> (Fitch, 1863)	
<i>Deuterosminthurus pallipes</i> (Bourlet, 1843)	
<i>Heterosminthurus bilineatus</i> (Bourlet, 1842)	
<i>Heterosminthurus claviger</i> Gisin, 1958	

Dicyrtomidae

<i>Dicyrtoma fusca</i> (Lucas, 1842)	
<i>Dicyrtomina minuta</i> (Fabricius, 1783)	
<i>Dicyrtomina saundersi</i> (Lubbock, 1862)	

Entomobryidae

<i>Entomobrya multifasciata</i> (Tullberg, 1871)	
<i>Entomobrya nicoleti</i> (Lubbock, 1867)	
<i>Entomobrya nivalis</i> (Linnaeus, 1758)	Frerakengmor
<i>Entomobrya sp.</i>	
<i>Entomobryidae ógr.</i>	
<i>Lepidocyrtus ?cyaneus</i> Tullberg, 1871	
<i>Lepidocyrtus ?lanuginosus</i> (Gmelin, 1788)	
<i>Lepidocyrtus lignorum</i> (Fabricius, 1781)	
<i>Lepidocyrtus violaceus</i> Lubbock, 1873	





*Orchesella cincta* (Linnaeus, 1758)

Beltakengmor

*Pseudosinella alba* (Packard, 1873)

*Willowsia buski* (Lubbock, 1869)

Hypogastruridae

*Ceratophysella bengtssoni* (Ågren, 1904)

*Ceratophysella denticulata* (Bagnall, 1941)

*Ceratophysella succinea* Gisin, 1949

*Hypogastrura arctandria* Fjellberg, 1988

*Hypogastrura assimilis* Krausbauer, 1898

*Hypogastrura manubrialis* (Tullberg, 1869)

*Hypogastrura purpurescens* (Lubbock, 1867)

Purpuragrámor

*Hypogastrura serrata* (Ågren, 1904)

*Hypogastrura* sp.

*Hypogastrura viatica* (Tullberg, 1872)

*Hypogastruridae* ógr.

*Willemia anophthalma* Börner, 1901

*Willemia denisi* Mills, 1932

*Willemia intermedia* Mills, 1934

*Willemia scandinavica* Stach, 1949

*Willemia similis* Mills, 1934

*Xenylla humicola* (Fabricius, 1780)

Isotomidae

*Anurophorus laricis* Nicolet, 1842

*Archisotoma besselsi* (Pachard, 1877)

*Archisotoma megalops* (Bagnall, 1939)

*Archisotoma* ógr.

*Archisotoma theae* Fjellberg, 1979

*Cryptopygus bipunctatus* (Axelson, 1903)

*Cryptopygus exilis* (Gisin, 1960)

*Desoria fennica* (Reuter, 1895)

*Desoria grisea* Lubbock, 1869

*Desoria ?neglecta* (Schäffer, 1900)

*Desoria olivacea* (Tullberg, 1871)

*Desoria tigrina* Nicolet, 1841

*Desoria violacea* (Tullberg, 1987)

*Folsomia agrelli* Gisin, 1944

*Folsomia bisetosa* Gisin, 1944



*Folsomia bisetosella* Fjellberg, 2005  
*Folsomia brevicauda* Agrell, 1939  
*Folsomia dovrensis* Fjellberg, 1976  
*Folsomia fimetaria* (Linnaeus, 1758)  
*Folsomia ?inoculata* Stach, 1947  
*Folsomia litsteri* Bagnall, 1939  
*Folsomia manolachei* Bagnall, 1939  
*Folsomia palaeartica* Potapov & Babenko, 2000  
*Folsomia quadriculata* (Tullberg, 1871)  
*Folsomia sensibilis* Kseneman, 1936  
*Folsomia sexoculata* (Tullberg, 1871)  
*Folsomia* sp.  
*Folsomia stella* Grow & Christiansen, 1976  
*Folsomia thalassophila* Bagnall, 1940  
*Folsomina onychiurina* Denis, 1931  
*Halisotoma maritima* (Tullberg, 1871)  
*Halisotoma poseidonis* Bagnall, 1939  
*Halisotoma* sp.  
*Isotoma anglicana* Lubbock, 1873  
*Isotoma caerulea* Bourlet, 1839  
*Isotoma* sp.  
*Isotoma viridis* Bourlet, 1839  
*Isotomidae* ógr.  
*Isotomiella minor* (Schäffer, 1896)  
*Isotomodes bisetosus* Cassagnau, 1959  
*Isotomodes ?productus* (Axelson, 1906)  
*Isotomurus fucicola* (Schött, 1893)  
*Isotomurus italicus* Carapelli et al. 1995  
*Isotomurus ?palustris* (Müller, 1776)  
*Isotomurus prasinus* (Reuter, 1891)  
*Marisotoma canaliculata* Fjellberg, 1997  
*Parisotoma agrelli* (Delamare, 1950)  
*Parisotoma ekmani* (Fjellberg 1977)  
*Parisotoma notabilis* (Schäffer, 1896)  
*Proisotoma buddenbrocki* Strenzke, 1954  
*Proisotoma clavipila* Axelson, 1903  
*Proisotoma minima* (Absolon, 1901)



*Proisotoma minuta* (Tullberg, 1871)  
*Proisotoma subminuta* Denis, 1931  
*Pseudanurophorus alticola* Bagnall, 1949  
*Pseudanurophorus binoculatus* Kseneman, 1922  
*Pseudisotoma sensibilis* (Tullberg, 1876)  
*Tetracanthella arctica* Cassagnau, 1959  
*Vertagopus arboreus* (Linnaeus, 1758)  
*Vertagopus cinereus* (Nicolet, 1841)

Katiannidae

*Sminthurinus aureus* (Lubbock, 1862)  
*Sminthurinus concolor* (Meinert, 1896)

Neanuridae

*Anurida granaria* (Nicolet, 1847)  
*Anurida thalassophila* (Bagnall, 1939)  
*Anurida tullbergi* Schött 1891  
*Anuridella germanica* Gisin, 1951  
*Anuridella immsiana* Bagnall, 1939  
*Friesea baltica* Szeptycki, 1964  
*Friesea claviseta* Axelson, 1900  
*Friesea mirabilis* (Tullberg, 1871)  
*Friesea truncata* Cassagnau, 1958  
*Micranurida pygmaea* Börner, 1901  
*Neanura muscorum* (Templeton, 1835)  
*Pseudacorutes parvulus* Börner, 1901

Neelidae

*Megalothorax minimus* (Willem, 1900)

Odontellidae

*Xenyllodes armatus* Axelson, 1903

Onychiuridae

*Karlstejnina norvegica* Fjellberg, 1973  
*Megaphorura arctica* (Tullberg, 1876)  
*Mesaphorura arbei* Simon et al., 1994  
*Mesaphorura critica* Ellis, 1976  
*Mesaphorura hylophila* Rusek, 1982  
*Mesaphorura italica* (Rusek, 1971)  
*Mesaphorura jirii* Rusek, 1982  
*Mesaphorura krausbaueri* Börner, 1901  
*Mesaphorura macrochaeta* Rusek, 1976



- Mesaphorura petterdassi* (Fjellberg, 1988)  
*Mesaphorura tenuisensillata* Rusek, 1974  
*Metaphorura affinis* Börner, 1901  
*Micraphorura absoloni* (Börner, 1901)  
*Oligaphorura groenlandica* (Tullberg, 1876)  
*Oligaphorura ursi* (Fjellberg, 1984)  
*Onychiurus fimetarius* (Linnaeus, 1766)  
*Onychiurus* sp.  
*Protaphorura armata* (Tullberg, 1869)  
*Protaphorura bicampata* (Gisin, 1952)  
*Protaphorura boedvarssonii* Pomorski, 1993  
*Protaphorura campata* (Gisin, 1952)  
*Protaphorura cancellata* (Gisin, 1956)  
*Protaphorura fimata* (Gisin, 1952)  
*Protaphorura islandica* (Bödvarsson, 1959)  
*Protaphorura macfadyeni* (Gisin, 1953)  
*Protaphorura pannonica* (Haybach, 1960)  
*Protaphorura procampata* (Gisin, 1956)  
*Protaphorura pseudovanderdrifti* (Gisin, 1957)  
*Protaphorura* sp.  
*Protaphorura subuliginata* (Gisin, 1956)  
*Protaphorura tricampata* (Gisin, 1956)  
*Protaphorura vanderdrifti* (Gisin, 1957)  
*Supraphorura furcifera* (Börner, 1901)  
*Thalassaphorura debilis* (Moniez, 1890)  
*Thalassaphorura duplopunctata* (Strenzke, 1954)  
*Thalassaphorura halophila* (Bagnall, 1935)

Sminthuridae

- Sminthurus nigromaculatus* (Tullberg, 1871)  
*Sminthurus viridis* (Linnaeus, 1758)

Beðjuknattmor

Sminthurididae

- Sminthurides aquaticus* (Bourlet, 1843)  
*Sminthurides malmgreni* (Tullberg, 1876)  
*Sminthurides parvulus* (Krausbauer, 1898)  
*Sminthurides schoetti* (Axelson, 1903)  
*Sminthurididae* ógr.  
*Sphaeridia pumilis* (Krausbauer, 1898)



Tomoceridae

*Tomocerus minor* (Lubbock, 1862)

*Tomocerus vulgaris* (Tullberg, 1871)

Tullbergiidae

*Stenaphorura lubbocki* Bagnall, 1935

*Stenaphorura ?quadrispina* (Börner, 1901)

*Tullbergia arctica* Wahlgren, 1900

*Wankeliella pongei* Rusek, 1978

Ætt ógr. Collembola

*Collembola ógr*

Mordýr

Protura

Acerentomidae

*Nosekiella danica* (Condé, 1947)

Eosentomidae

*Eosentomon transistorium* Berlese, 1908

Protentomidae

*Protentomon thienemanni* Strenzke, 1942

**Gastropoda**

Stylommatophora

Agriolimacidae

*Deroceras agreste* (Linnaeus, 1758)

*Deroceras laeve* (O.F. Müller, 1774)

Mýrasnigill

*Deroceras reticulatum* (O.F. Müller, 1774)

Möskvasnigill

*Deroceras sp.*

*Deroceras sp. (dökkur)*

Arionidae

*Arion ater* (Linnaeus, 1758)

Svartsnigill

*Arion cf. hortensis* Férussac, 1819

*Arion circumscriptus* Johnston, 1828

Rákasnigill

*Arion fasciatus* (Nilsson, 1823)

Beltasnigill

*Arion intermedius* Normand, 1852

Putasnigill

*Arion subfuscus* (Draparnaud, 1805)

Skuggasnigill

*Arion vulgaris* Moquin-Tandon, 1855

Spánarsnigill

Boettgerillidae

*Boettgerilla pallens* Simroth, 1912

Ormsnigill

Carychiidae

*Carychium tridentatum* (Risso, 1862)

Títubobbi

Clausiliidae

*Balea perversa* (Linnaeus, 1758)

Langbobbi

Cochlicopidae

*Cochlicopa lubrica* (O.F. Müller, 1774)

Eggbobbi



<i>Cochlicopa lubricella</i> (Porro, 1838)	Gljábobbi
Discidae	
<i>Discus rotundatus</i> (O.F. Müller, 1774)	Skífubobbi
Euconulidae	
<i>Euconulus fulvus</i> (O.F. Müller, 1774)	Keilubobbi
Gastrodontidae	
<i>Zonitoides arboreus</i> (Say, 1817)	Húsabobbi
<i>Zonitoides nitidus</i> (O.F. Müller, 1774)	Vallbobbi
Helicidae	
<i>Arianta arbustorum</i> (Linnaeus, 1758)	Lyngbobbi
<i>Cepaea hortensis</i> (O.F. Müller, 1774)	Brekkubobbi
* <i>Cepaea nemoralis</i> (Linnaeus, 1758)	Skógarbobbi
* <i>Cepaea</i> sp.	
* <i>Cornu aspersum</i> (O.F. Müller, 1774)	Garðabobbi
* <i>Eobania vermiculata</i> (O.F. Müller, 1774)	Vínekrubobbi
* <i>Helicidae</i> ógr.	
<i>Helix lucorum</i> Linnaeus, 1758	Baugbobbi
* <i>Helix pomatia</i> Linnaeus, 1758	Krásarbobbi
* <i>Theba pisana</i> (Müller, 1774)	Sandhólabobbi
Hygromiidae	
* <i>Cernuella virgata</i> (Da Costa, 1778)	Kalkbobbi
<i>Trochulus hispidus</i> (Linnaeus, 1758)	Loðbobbi
Limacidae	
<i>Lehmannia marginata</i> (O.F. Müller, 1774)	Kjölsnigill
<i>Limacidae</i> ógr.	
<i>Limax maximus</i> Linnaeus, 1758	Pardussnigill
Lymnaeidae	
<i>Galba truncatula</i> (O.F. Müller, 1774)	Tjarnabobbi
<i>Radix balthica</i> (Linnaeus, 1758)	Vatnabobbi
Oxychilidae	
<i>Aegopinella pura</i> (Alder, 1830)	Grundarbobbi
<i>Nesovitrea hammonis</i> (Ström, 1765)	Geislabobbi
<i>Oxychilus alliarius</i> (Miller, 1822)	Laukbobbi
<i>Oxychilus draparnaudi</i> (Beck, 1837)	Breiðbobbi
<i>Oxychilus</i> sp.	
Physidae	
* <i>Physella heterostropha</i> (Say, 1817)	Búrbobbi
Planorbidae	
<i>Anisus spirorbis</i> (Linnaeus, 1758)	Hornsnúður



<i>Gyraulus laevis</i> (Alder, 1838)	Tjarnasnúður
Pristilomatidae	
<i>Vitrea contracta</i> (Westerlund, 1871)	Agnarbobbi
<i>Vitrea crystallina</i> (O.F. Müller, 1774)	Kristalbobbi
Punctidae	
<i>Punctum pygmeum</i> (Draparnaud, 1801)	Agnarögn
Pupillidae	
<i>Pupilla muscorum</i> (Linnaeus, 1758)	Sveppastúfur
Succineidae	
<i>Oxyloma elegans</i> (Risso, 1826)	Mýrabobbi
Valloniidae	
<i>Vallonia excentrica</i> Sterki, 1893	
<i>Vallonia pulchella</i> (O.F. Müller, 1774)	Hvítbobbi
Vertiginidae	
<i>Columella aspera</i> Valden, 1966	Birkistúfur
<i>Columella edentula</i> (Draparnaud, 1805)	
<i>Vertigo alpestris</i> Alder, 1838	Tannastúfur
<i>Vertigo geyeri</i> Lindholm, 1925	
<i>Vertigo lilljeborgi</i> (Westerlund, 1871)	Engjastúfur
<i>Vertigo modesta</i> (Say, 1824)	Örðustúfur
<i>Vertigo substriata</i> (Jeffreys, 1833)	Gárastúfur
Vitrinidae	
<i>Vitrina pellucida</i> (O.F. Müller, 1774)	Hvannabobbi

## Hirudinea

Rhynchobdellida

Glossiphoniidae

*Theromyzon tessulatum* (O.F. Müller, 1774)      Andaigla

## Insecta

Coleoptera

Anobiidae

*Anobiidae* ógr.

^*Anobium punctatum* (DeGeer, 1774)      Veggjatítla

^*Epauloecus unicolor* (Piller & Mitterpacher, 1783)      Saurþjófur

^*Ernobius mollis* (Linnaeus, 1758)      Barkartítla

^*Lasioderma serricorne* (Fabricius, 1792)      Tóbakstítla

\**Mezium affine* Boieldieu, 1856

^*Niptus hololeucus* (Faldermann, 1836)      Perluþjófur

^*Ptinus fur* (Linnaeus, 1758)      Kompuþjófur

^*Ptinus tectus* Boieldieu, 1856      Húsþjófur

\**Sphaericus gibboides* (Boieldieu, 1854)



---

^ <i>Stegobium paniceum</i> (Linnaeus, 1758)	Brauðtítla
^ <i>Trigonogenius globosus</i> Solier, 1849	
Anthicidae	
<i>Omonadus floralis</i> (Linnaeus, 1758)	Maurbjalla
Anthribidae	
* <i>Araecerus fasciculatus</i> (DeGeer, 1775)	Kaffibaunabjalla
Aphodiidae	
<i>Agoliinus lapponum</i> (Gyllenhal, 1808)	Taðýfill
* <i>Aphodius sp.</i>	
Apionidae	
<i>Apion cruentatum</i> Walton, 1844	Súrusnjáldri
<i>Protapion fulvipes</i> (Geoffroy, 1785)	Smárasnjáldri
Bostrichidae	
* <i>Apate monachus</i> (Fabricius, 1775)	
* <i>Bostrichidae ógr.</i>	
* <i>Bostrichus capucinus</i> (Linnaeus, 1758)	
* <i>Heterobostrichus aequalis</i> (Waterhouse, 1884)	
* <i>Rhyzopertha dominica</i> (Fabricius, 1792)	
* <i>Sinoxylon sp.</i>	
Brachyceridae	
* <i>Brachycerus sp.</i>	
Brentidae	
* <i>Arrhenodes minutus</i> (Drury, 1770)	
Buprestidae	
* <i>Buprestidae sp.A</i>	
* <i>Buprestis aurulenta</i> Linnaeus, 1767	
Byrrhidae	
<i>Byrrhus fasciatus</i> (Forster, 1771)	Steinvarta
<i>Cytilus sericeus</i> (Forster, 1771)	Gullvarta
<i>Simplocaria semistriata</i> (Fabricius, 1794)	Dvergvarta
<i>Simplocaria sp.A</i>	Eldvarta
Cantharidae	
* <i>Cantharidae ógr.</i>	
* <i>Cantharis sp.</i>	
<i>Malthodes mysticus</i> Kiesenwetter, 1852	Kjarrdátí
<i>Malthodes pumilus</i> (Brébisson, 1835)	Dvergdátí
Carabidae	
* <i>Amara familiaris</i> (Duftschmid, 1812)	
<i>Amara quenseli</i> (Schönherr, 1806)	Gullsmiður
<i>Anisodactylus binotatus</i> (Fabricius, 1787)	Bakkasmiður

---





<i>Bembidion bipunctatum</i> (Linnaeus, 1761)	Leirsmiður
<i>Bembidion bruxellense</i> Wesmael, 1835	Perlusmiður
<i>Bembidion grapei</i> Gyllenhal, 1827	Eðjusmiður
<i>Bembidion tetracolum</i> Say, 1823	Skartsmiður
<i>Calathus melanocephalus</i> (Linnaeus, 1758)	Kragasmiður
* <i>Calosoma</i> sp.	
* <i>Carabus auratus</i> Linnaeus, 1761	Álfasmiður
* <i>Carabus coriaceus</i> Linnaeus, 1758	Leðursmiður
* <i>Carabus granulatus</i> Linnaeus, 1758	Skessusmiður
* <i>Carabus hortensis</i> Linnaeus, 1758	Jötnasmiður
* <i>Carabus intricatus</i> Linnaeus, 1761	
<i>Carabus nemoralis</i> Müller, 1764	Varmasmiður
<i>Carabus problematicus</i> Herbst, 1786	Tröllasmiður
<i>Carabus</i> sp.	
<i>Clivina fossor</i> (Linnaeus, 1758)	Grefilsmiður
<i>Dicheirotichus cognatus</i> (Gyllenhal, 1827)	Randasmiður
<i>Harpalus latus</i> (Linnaeus, 1758)	Tinsmiður
* <i>Harpalus rufipes</i> (DeGeer, 1774)	Reskismiður
^ <i>Laemostenus terricola</i> (Herbst, 1784)	Húsasmiður
<i>Leistus terminatus</i> (Panzer, 1793)	Skógarsmiður
<i>Nebria rufescens</i> (Ström, 1768)	Járnsmiður
<i>Notiophilus aquaticus</i> (Linnaeus, 1758)	Vætusmiður
<i>Notiophilus biguttatus</i> (Fabricius, 1779)	Glitsmiður
<i>Patrobus atrorufus</i> (Ström, 1768)	Garðasmiður
<i>Patrobus septentrionis</i> Dejean, 1828	Fjallasmiður
<i>Pterostichus adstrictus</i> Eschscholtz, 1823	Kolasmiður
<i>Pterostichus diligens</i> (Sturm, 1824)	Laugasmiður
* <i>Pterostichus melanarius</i> (Illiger, 1798)	Biksmiður
<i>Pterostichus nigrita</i> (Paykull, 1790)	Tinnusmiður
<i>Trechus fulvus</i> Dejean, 1831	Strandsmiður
<i>Trechus obtusus</i> Erichson, 1837	Hagasmiður
<i>Trechus rubens</i> (Fabricius, 1792)	Roðasmiður
<i>Trechus secalis</i> (Paykull, 1790)	Dvergsmiður
Cerambycidae	
* <i>Acanthocinus aedilis</i> (Linnaeus, 1758)	Móbukkur
* <i>Acanthocinus griseus</i> (Fabricius, 1792)	
* <i>Arhopalus fulminans</i> (Fabricius, 1775)	



* <i>Arhopalus rusticus</i> (Linnaeus, 1758)	
* <i>Asemum striatum</i> (Linnaeus, 1758)	
* <i>Batocera lineolata</i> Chevrolat, 1852	Rákabukkur
* <i>Callidiellum villosulum</i> (Fairmaire, 1899)	Brúnbukkur
* <i>Callidium violaceum</i> (Linnaeus, 1758)	Blábukkur
<i>Cerambycidae</i> ógr.	
* <i>Cerambyx cerdo</i> Linnaeus, 1758	Eikarbukkur
* <i>Cerambyx scopolii</i> Fuessly, 1775	
* <i>Chlorophorus annularis</i> (Fabricius, 1787)	Bambusbukkur
* <i>Chlorophorus herbstii</i> (Brahm, 1790)	
* <i>Clytus arietis</i> (Linnaeus, 1758)	Vespubukkur
* <i>Hesperophanes sericeus</i> (Fabricius, 1787)	
* <i>Hylotrupes bajulus</i> (Linnaeus, 1758)	Húsbukkur
* <i>Molorchus minor</i> (Linnaeus, 1758)	Grábukkur
* <i>Monochamus alternatus</i> Hope, 1842	Kínabukkur
* <i>Monochamus galloprovincialis</i> Dejean, 1821	Furubukkur
* <i>Monochamus notatus</i> (Drury, 1773)	
* <i>Monochamus sartor</i> (Fabricius, 1787)	Grenibukkur
* <i>Monochamus</i> sp.	
* <i>Monochamus sutor</i> (Linnaeus, 1758)	Barrbukkur
* <i>Monochamus titillator</i> (Fabricius, 1775)	
* <i>Neoclytus acuminatus</i> (Fabricius, 1775)	
* <i>Obrium cantharinum</i> (Linnaeus, 1767)	Blæasparbukkur
* <i>Phymatodes testaceus</i> (Linnaeus, 1758)	Beykibukkur
* <i>Plagionotus arcuatus</i> (Linnaeus, 1758)	Randabukkur
* <i>Pogonocherus fasciculatus</i> (DeGeer, 1775)	Beltisbukkur
* <i>Pyrrhidium sanguineum</i> (Linnaeus, 1758)	Rauðbukkur
* <i>Rhagium inquisitor</i> (Linnaeus, 1758)	
* <i>Saperda perforata</i> (Pallas, 1773)	Dílabukkur
* <i>Saperda scalaris</i> (Linnaeus, 1758)	Birkibukkur
* <i>Stromatium unicolor</i> (Olivier, 1795)	
* <i>Tetropium castaneum</i> (Linnaeus, 1758)	Kastaníubukkur
* <i>Trichoferus</i> sp.	
* <i>Xylotrechus rufilius</i> Bates, 1884	
* <i>Xylotrechus rusticus</i> (Linnaeus, 1758)	Asparbukkur

Cetoniidae

\**Cetonia aurata* (Linnaeus, 1758)



\**Cetoniidae* ógr.

\**Potosia cuprea* (Fabricius, 1775)

\**Protaetia affinis* Andersch, 1797

\**Trichostetha fascicularis* (Linnaeus, 1767)

#### Chrysomelidae

\**Acanthoscelides obtectus* (Say, 1831)

Baunakyrna

\**Batophila* sp.

Flóarglytta

#### Bruchinae

\**Bruchus pisorum* (Linnaeus, 1758)

Ertukyrna

\**Callosobruchus chinensis* (Linnaeus, 1758)

Kínakyrna

\**Callosobruchus maculatus* (Fabricius, 1775)

Flekkukyrna

*Callosobruchus* sp.

\**Cassida vittata* Villiers, 1789

#### Cassidinae ógr.

\**Chrysolina americana* (Linnaeus, 1758)

Rósmarínglytta

\**Chrysolina sanguinolenta* (Linnaeus, 1758)

*Chrysolina staphylaea* (Linnaeus, 1758)

\**Chrysomela populi* Linnaeus, 1758

#### Chrysomelidae ógr.

Laufbjöllur

\**Crioceris asparagi* (Linnaeus, 1758)

\**Crioceris duodecimpunctata* (Linnaeus, 1758)

\**Diabrotica undecimpunctata* Mannerheim, 1843

Gúrkuglytta

\**Leptinotarsa decemlineata* (Say, 1824)

Kartöfluglytta

*Mantura chrysanthemi* (Koch, 1803)

\**Oulema melanopus* (Linnaeus, 1758)

*Phaedon concinnus* (Stephens, 1831)

*Phratora polaris* (Sparre Schneider, 1886)

Víðiglytta

*Phratora vitellinae* (Linnaeus, 1758)

Asparglytta

\**Timarcha tenebricosa* (Fabricius, 1775)

#### Ciidae

\**Xylographus bostrychoides* (Dufour, 1843)

#### Cleridae

\**Chariessa pilosa* (Forster, 1781)

\**Necrobia ruficollis* (Fabricius, 1775)

\**Necrobia rufipes* (DeGeer, 1775)

Kóprabjalla

\**Thanasimus formicarius* (Linnaeus, 1758)

#### Coccinellidae

\**Adalia bipunctata* (Linnaeus, 1758)

Tvídepla



* <i>Adalia frigida</i> (Schneider, 1792)	
* <i>Anatis ocellata</i> (Linnaeus, 1758)	Augnadepla
* <i>Aphidecta obliterata</i> (Linnaeus, 1758)	
* <i>Calvia quattuordecimpunctata</i> (Linnaeus, 1758)	
* <i>Coccinella septempunctata</i> Linnaeus, 1758	Sjödepla
* <i>Coccinella trifasciata</i> Linnaeus, 1758	Beltadepla
<i>Coccinella undecimpunctata</i> Linnaeus, 1758	Flikrudepla
<i>Coccinellidae</i> ógr.	
* <i>Cycloneda sp.</i> A <i>Cycloneda</i> sp.	
* <i>Diomus roseicollis</i> (Mulsant, 1853)	
* <i>Eriopis connexa</i> (Germar, 1824)	
* <i>Eriopsis connexa</i> (Germar, 1824)	
* <i>Hippodamia convergens</i> Guérin-Ménéville, 1842	Sveigdepla
* <i>Hippodamia tredecimpunctata</i> (Linnaeus, 1758)	Þrettándepla
* <i>Hippodamia variegata</i> (Goeze, 1777)	
<i>Nephus limonii</i> Donisthorpe, 1903	Dvergadepla
* <i>Scymnus frontalis</i> (Fabricius, 1787)	
* <i>Scymnus subvillosus</i> Goeze, 1777	
* <i>Semiadalia undecimnotata</i> (Schneider, 1792)	
* <i>Thea vigintiduopunctata</i> (Linnaeus, 1758)	
Corylophidae	
^ <i>Sericoderus lateralis</i> (Gyllenhal, 1827)	Gróögn
Cryptophagidae	
<i>Atomaria analis</i> Erichson, 1846	
<i>Atomaria apicalis</i> Erichson, 1846	
<i>Atomaria fuscipes</i> (Gyllenhal, 1808)	
<i>Atomaria lewisi</i> Reitter, 1877	
<i>Atomaria munda</i> Erichson, 1846	
<i>Atomaria nigripennis</i> (Kugelann, 1794)	
<i>Atomaria pusilla</i> (Paykull, 1798)	
<i>Atomaria</i> sp.	
^ <i>Cryptophagus acutangulus</i> Gyllenhal, 1827	
<i>Cryptophagus affinis</i> Sturm, 1845	
<i>Cryptophagus distinguendus</i> Sturm, 1845	
<i>Cryptophagus pilosus</i> Gyllenhal, 1827	
<i>Cryptophagus pseudodentatus</i> Bruce 1934	
<i>Cryptophagus scanicus</i> (Linnaeus, 1758)	



*Cryptophagus scutellatus* Newman, 1834

*Cryptophagus* sp.

\**Cryptophagus subfumatus* Kraatz, 1856

Curculionidae

\**Aegorhinus albolineatus* (Blanchard, 1851)

\**Archarius* sp.

*Barynotus squamosus* Germar, 1824

Silfurrani

*Barypeithes pellucidus* (Boheman, 1834)

Gljárani

*Ceutorhynchus insularis* Dieckmann, 1971

Eyjarani

*Ceutorhynchus minutus* (Reich, 1797)

Körturani

*Ceutorhynchus* sp.

\**Coccotrypes dactyliperda* (Fabricius, 1801)

Curculionidae ógr.

\**Diaprepes ?abbreviatus* (Linnaeus, 1768)

Rótarani

*Dorytomus taeniatus* (Fabricius, 1781)

Víðirani

^*Euophryum confine* (Broun, 1880)

*Hylastes* sp.

\**Hylobius abietis* (Linnaeus, 1758)

Genirani

\**Hypera miles* Hyperia miles (Paykull, 1792)

\**Ips typographus* (Linnaeus, 1758)

Prentari

*Isochnus foliorum* (Müller, 1764)

Laufrani

*Notaris acridulus* (Linnaeus, 1758)

Rekjurani

\**Orthotomicus suturalis* (Gyllenhal, 1827)

*Otiorhynchus arcticus* (O. Fabricius, 1780)

Silakeppur

*Otiorhynchus nodosus* (O.F. Müller, 1764)

Hélukeppur

\**Otiorhynchus ovatus* (Linnaeus, 1758)

*Otiorhynchus rugifrons* (Gyllenhal, 1813)

Steinkeppur

\**Otiorhynchus rugosostriatus* (Goeze, 1777)

*Otiorhynchus scaber* (Linnaeus, 1758)

*Otiorhynchus singularis* (Linnaeus, 1767)

Trjákeppur

*Otiorhynchus* sp.

^*Otiorhynchus sulcatus* (Fabricius, 1775)

Húskeppur

\**Pissodes pini* (Linnaeus, 1758)

\**Pityogenes chalcographus* (Linnaeus, 1761)

\**Polydrusus amoenus* (Germar, 1824)

Smaragðsrani

\**Pseudopityophthorus* sp.

\**Rhinoncus castor* (Fabricius, 1792)



<i>Rhinoncus pericarpus</i> (Linnaeus, 1758)	Súrurani
<i>Sciaphilus asperatus</i> (Bonsdorff, 1785)	
<i>Scolytinae</i> ógr.	
<i>Sitona lepidus</i> (Gyllenhal, 1834)	
<i>Sitona</i> sp.	
^ <i>Sitophilus granarius</i> (Linnaeus, 1758)	Grjónarani
^ <i>Sitophilus oryzae</i> (Linnaeus, 1763)	Hrísrani
* <i>Sternochetus mangiferae</i> (Fabricius, 1775)	Mangórani
<i>Strophosoma melanogrammum</i> (Forster, 1771)	Birkirani
<i>Trachyphloeus bifoveolatus</i> (Beck, 1817)	Sandrani
<i>Tropiphorus obtusus</i> (Bonsdorff, 1785)	Túnarani
* <i>Trypodendron lineatum</i> (Olivier, 1795)	
Dermestidae	
* <i>Anthrenocerus australis</i> (Hope, 1843)	Ullargæra
* <i>Anthrenus</i> sp.A	
^ <i>Anthrenus verbasci</i> (Linnaeus, 1767)	Teppagæra
^ <i>Attagenus smirnovi</i> Zhantiev, 1976	Feldgæra
* <i>Attagenus unicolor</i> (Brahm, 1791)	
^ <i>Attagenus woodroffe</i> Halstead & Green, 1979	Pelsgæra
^ <i>Dermestes lardarius</i> Linnaeus, 1758	Fleskgæra
* <i>Dermestes maculatus</i> DeGeer, 1774	Skreiðargæra
^ <i>Dermestes peruvianus</i> Gastelnau, 1840	Nágæra
<i>Dermestes</i> sp.	
<i>Dermestidae</i> Ógr.	
^ <i>Reesa vespulae</i> (Milliron, 1939)	Hamgæra
^ <i>Trogoderma angustum</i> (Solier, 1849)	Búrgæra
Dryophthoridae	
* <i>Metamasius hemipterus</i> (Linnaeus, 1758)	
Dynastidae	
* <i>Oryctes nasicornis</i> (Linnaeus, 1758)	
Dytiscidae	
<i>Agabus bipustulatus</i> (Linnaeus, 1767)	Brunnklukka
<i>Agabus uliginosus</i> (Linnaeus, 1761)	Tjarnaklukka
<i>Colymbetes dolabratus</i> (Paykull, 1798)	Fjallaklukka
<i>Hydroporus nigrita</i> (Fabricius, 1792)	Lækjaklukka
<i>Oreodytes sanmarki</i> (Sahlberg, 1826)	Strípuklukka
Elateridae	
* <i>Agriotes lineatus</i> (Linnaeus, 1767)	



<i>Hypnoidus riparius</i> (Fabricius, 1792)	Hagasmella
Endomychidae	
<i>Endomychidae</i> ógr.	
<i>Mycetaea subterranea</i> (Fabricius, 1801)	
Geotrupidae	
* <i>Geotrupes puncticollis</i> Malinowsky, 1811	
* <i>Geotrupes stercorarius</i> (Linnaeus, 1758)	Tordýfill
* <i>Geotrupidae</i> ógr.	
Haliplidae	
<i>Haliplus fulvus</i> (Fabricius, 1801)	
Hydraenidae	
† <i>Hydraena britteni</i> Joy, 1907	
Hydrophilidae	
<i>Cercyon analis</i> (Paykull, 1798)	
<i>Cercyon littoralis</i> (Gyllenhal, 1808)	Strandfíkill
<i>Cercyon melanocephalus</i> (Linnaeus, 1758)	Taðfíkill
<i>Cercyon</i> sp.	
<i>Cercyon unipunctatus</i> (Linnaeus, 1758)	
Laemophloeidae	
* <i>Cryptolestes ferrugineus</i> (Stephens, 1831)	
^ <i>Cryptolestes pusilloides</i> (Steel & Howe, 1952)	
^ <i>Cryptolestes</i> sp.A	
^ <i>Cryptolestes</i> sp.B	
Latridiidae	
<i>Aridius nodifer</i> (Westwood, 1839)	Drumbavinur
<i>Corticaria elongata</i> (Gyllenhal, 1827)	
^ <i>Corticaria serrata</i> (Paykull, 1798)	Saggavinur
^ <i>Dienerella filum</i> (Aubé, 1850)	
<i>Dienerella ruficollis</i> (Marsham, 1802)	
<i>Latridiidae</i> indet. <i>Lathridiidae</i> indet.	
<i>Latridius anthracinus</i> <i>Lathridius anthracinus</i>	
<i>Latridius minutus</i> <i>Lathridius minutus</i> (Linnaeus, 1767)	Húsvinur
<i>Stephostethus lardarius</i> (DeGeer, 1775)	
* <i>Thes bergrothi</i> (Reitter, 1880)	
Leiodidae	
<i>Agathidium varians</i> Beck, 1817	
<i>Catops borealis</i> Krogerus, 1931	Nábjalla
Lucanidae	
* <i>Lucanus maculifemoratus</i> Motschulskyi, 1861	



Lyctidae	
* <i>Lyctus brunneus</i> (Stephens, 1830)	Eikarnafar
* <i>Lyctus linearis</i> (Goeze, 1777)	
* <i>Lyctus planicollis</i> LeConte, 1858	
<i>Lyctus sp.</i>	
Melolonthidae	
* <i>Melolontha melolontha</i> (Linnaeus, 1758)	Aldinborri
Monotomidae	
<i>Monotoma picipes</i> Herbst, 1793	
<i>Monotoma testacea</i> Motschulsky, 1845	
<i>Rhizophagus dispar</i> (Paykull, 1800)	
Mycetophagidae	
<i>Typhaea stercorea</i> (Linnaeus, 1758)	Skúmbjalla
Nitidulidae	
* <i>Carpophilus hemipterus</i> (Linnaeus, 1758)	
* <i>Carpophilus sp.</i>	
<i>Epuraea sp.</i> Erichson, 1843	
<i>Glischrochilus quadripunctatus</i> (Linnaeus, 1758)	Fjarkatorta
Ptiliidae	
<i>Acrotrichis atomaria</i> (DeGeer, 1774)	Gróbjalla
<i>Acrotrichis sp.</i>	
Ptilodactylidae	
* <i>Ptilodactylidae ógr.</i>	
Rutelidae	
* <i>Chrysina sp.</i>	
* <i>Phyllopertha horticola</i> (Linnaeus, 1758)	Garðadjásn
* <i>Popillia japonica</i> Newman, 1838	
* <i>Rutelidae ógr.</i>	
Salpingidae	
* <i>Aglenus brunneus</i> (Gyllenhal, 1813)	
Scarabaeidae	
* <i>Scarabaeidae ógr.</i>	
Scydmaenidae	
<i>Stenichnus collaris</i> (Müller & Kunze, 1822)	
Silphidae	
* <i>Oiceoptoma inaequale</i> (Fabricius, 1781)	
<i>Phosphuga atrata</i> (Linnaeus, 1758)	Sniglanárakki
Silvanidae	
* <i>Cathartus quadricollis</i> (Guérin-Méneville, 1844)	
* <i>Cryptomorpha desjardinsi</i> (Guérin-Méneville, 1844)	





<sup>^</sup> <i>Oryzaephilus mercator</i> (Fauvel, 1889)	Möndlutanni
<sup>^</sup> <i>Oryzaephilus surinamensis</i> (Linnaeus, 1758)	Korntanni
Staphylinidae	
<i>Acidota crenata</i> (Fabricius, 1792)	Dreyruxi
<i>Acrotona aterrima</i> (Gravenhorst, 1802)	
<i>Aleochara sparsa</i> Heer, 1839	Hnoðuxi
<i>Aleocharinae</i>	
<i>Amischa analis</i> (Gravenhorst, 1802)	Agnaruxi
<i>Anotylus maritimus</i> Thomson, 1861	Flúruxi
<i>Anotylus nitidulus</i> (Gravenhorst, 1802)	
<i>Anotylus rugosus</i> (Fabricius, 1775)	Skrápuxi
<i>Anotylus sculpturatus</i> (Gravenhorst, 1806)	
<i>Atheta amicula</i> (Stephens, 1832)	Dverguxi
<i>Atheta atramentaria</i> (Gyllenhal, 1810)	Taðuxi
<i>Atheta celata</i> (Erichson, 1837)	
<i>Atheta excellens</i> (Kraatz, 1856)	Vörtuuxi
<i>Atheta fungi</i> (Gravenhorst, 1806)	Sveppuxi
<i>Atheta graminicola</i> (Gravenhorst, 1806)	Mýruxi
<i>Atheta islandica</i> (Kraatz, 1856)	Móuxi
<i>Atheta luridipennis</i> (Mannerheim, 1830)	
<i>Atheta melanocera</i> (Thomson 1856)	
<i>Atheta nigra</i> (Kraatz, 1856)	Myrkuxi
<i>Atheta sp.</i>	
<i>Atheta trinotata</i> (Kraatz, 1856)	
<i>Atheta vestita</i> (Gravenhorst, 1806)	Stranduxi
<i>Bisnius cephalotes</i> (Gravenhorst, 1802)	Skánaruxi
<i>Bisnius sordidus</i> (Gravenhorst, 1802)	Króaruxi
<i>Bryaxis puncticollis</i> (Denny, 1825)	Dvergklubba
<i>Cafius xantholoma</i> (Gravenhorst, 1806)	Fjöruuxi
<i>Carpelimus gracilis</i> (Mannerheim, 1830)	
<i>Carpelimus pusillus</i> (Gravenhorst, 1802)	
<i>Crataraea suturalis</i> (Mannerheim, 1830)	Hreiðuruxi
<i>Creophilus maxillosus</i> (Linnaeus, 1758)	Jötunuxi
<i>Cypha longicornis</i> (Paykull, 1800)	Drýsiluxi
<i>Euryporus picipes</i> (Paykull, 1800)	Holuuxi
<i>Gabrius nigrutilus</i> (Gravenhorst, 1802)	
<i>Gabrius trossulus</i> (Nordmann, 1837)	Valluxi



<i>Geostiba circellaris</i> (Gravenhorst, 1806)	
<i>Gymnusa brevicollis</i> (Paykull, 1800)	Staruxi
<i>Gyrophypnus angustatus</i> Stephens, 1833	
<i>Hapalarea floralis</i> (Paykull, 1789)	
<i>Lathrobium brunnipes</i> (Fabricius, 1792)	
<i>Lathrobium fulvipenne</i> (Gravenhorst, 1806)	Molduxi
<i>Lathrobium geminum</i> Kraatz, 1857	
<i>Lesteva longoelytrata</i> (Goeze, 1777)	Hvannuxi
<i>Liogluta</i> sp.	
<i>Micralymma marinum</i> (Ström, 1783)	Maruxi
<i>Ocalea picata</i> (Stephens, 1832)	
<i>Oligota inflata?</i> <i>Oligota inflata</i> Mannerheim, 1830?	
<i>Omalium excavatum</i> Stephens, 1834	Rotuxi
<i>Omalium laeviusculum</i> Gyllenhal, 1827	Þanguxi
<i>Omalium riparium</i> Thomson, 1856	
<i>Omalium rivulare</i> (Paykull, 1789)	
<i>Omalium septentrionis</i> Thomson, 1856	Töðuuxi
<i>Omalium</i> sp.	
<i>Othius angustus</i> Stephens, 1833	Kragauxi
<i>Oxypoda haemorrhoea</i> Mannerheim, 1830	
<i>Oxypoda islandica</i> Kraatz, 1857	Gresjuuxi
<i>Oxypoda opaca</i> (Gravenhorst, 1802)	Garðuxi
<i>Oxypoda soror</i> Thomson, 1855	Guluxi
<i>Parocyusa rubicunda</i> (Erichson, 1837)	Rekjuuxi
<i>Philonthus longicornis</i> Stephens, 1832	
<i>Philonthus politus</i> (Linnaeus, 1758)	Geiruxi
<i>Psephidonus longipes</i> (Mannerheim, 1830)	
<i>Quedius boops</i> (Gravenhorst, 1802)	
<i>Quedius fulvicollis</i> (Stephens, 1833)	Svarðuxi
<i>Quedius mesomelinus</i> (Marsham, 1802)	Moðuxi
<i>Quedius umbrinus</i> Erichson, 1839	Rekauxi
<i>Staphylinidae</i> ógr.	
<i>Staphylininae</i> ógr.	
<i>Stenus canaliculatus</i> Gyllenhal, 1827	
<i>Stenus carbonarius</i> Gyllenhal, 1827	Koluxi
<i>Stenus impressus</i> Germar, 1824	Kjarruxi
<i>Stenus ludyi</i> Fauvel, 1885	



<i>Stenus nanus</i> Stephens, 1833	Stúfuxi
<i>Stenus umbratilis</i> Casey, 1884	Flóðuxi
<i>Tachinus corticinus</i> Gravenhorst, 1802	Túnuxi
<i>Tachinus marginellus</i> (Fabricius, 1781)	
<i>Tachinus signatus</i> Gravenhorst, 1802	Blakkuxi
<i>Tachinus subterraneus</i> (Linnaeus, 1758)	
<i>Tachyporinae</i>	
<i>Tachyporus nitidulus</i> (Fabricius, 1781)	
* <i>Tachyporus obtusus</i> (Linnaeus, 1767)	
<i>Xylodromus concinnus</i> (Marsham, 1802)	
<i>Xylodromus depressus</i> (Gravenhorst, 1802)	
Tenebrionidae	
* <i>Akis granulifera</i> Sahlberg, 1823	
^ <i>Alphitobius diaperinus</i> (Panzer, 1797)	Dritbjalla
* <i>Blaps gigas</i> (Linnaeus, 1758)	
* <i>Blaps mortisaga</i> (Linnaeus, 1758)	
* <i>Blaps mucronata</i> Latreille, 1804	
* <i>Gnathocerus cornutus</i> (Fabricius, 1798)	
* <i>Tenebrio molitor</i> Linnaeus, 1758	Mjölbjalla
<i>Tenebrionidae</i> ógr.	
^ <i>Tribolium castaneum</i> (Herbst, 1797)	Kornbjalla
^ <i>Tribolium confusum</i> Jacquelin du Val, 1863	Sterkjubjalla
^ <i>Tribolium destructor</i> Uyttenboogaart, 1933	Hveitibjalla
Trogossitidae	
* <i>Tenebrioides mauritanicus</i> (Linnaeus, 1758)	
Ætt ógr. Coleoptera	
<i>Coleoptera</i> ógr.	
Dermaptera	
Anisolabididae	
* <i>Euborellia annulipes</i> (Lucas, 1847)	Baugaklaufhali
* <i>Euborellia</i> sp.	
Forficulidae	
* <i>Doru aculeatum</i> (Scudder, 1876)	Línuklaufhali
<i>Forficula auricularia</i> Linnaeus, 1758	Garðaklaufhali
* <i>Forficula smyrnensis</i> Audinet-Serville, 1839	Fjarkaklaufhali
Dictyoptera	
Blaberidae	
* <i>Blaberus discoidales</i> Audinet-Serville, 1839	Skífukakkalakki
* <i>Elliptorhina javanica</i> (Hanitsch, 1930)	



---

* <i>Panchlora sp.</i> (?peruana Saussure, 1864)	Grænkakkalakki
^ <i>Pycnoscelus surinamensis</i> (Linnaeus, 1758)	Ylkakkalakki
Blattidae	
* <i>Blatta orientalis</i> Linnaeus, 1758	
* <i>Neostylopyga rhombifolia</i> (Stoll, 1813)	Skrautkakkalakki
^ <i>Periplaneta americana</i> (Linnaeus, 1758)	Farmkakkalakki
* <i>Periplaneta australasiae</i> (Fabricius, 1775)	Fraktkakkalakki
Ectobiidae	
^ <i>Blattella germanica</i> (Linnaeus, 1767)	Húskakkalakki
* <i>Cariblatta lutea</i> (Saussure & Zehntner, 1893)	
* <i>Supella longipalpa</i> (Fabricius, 1798)	Beltakakkalakki
Empusidae	
* <i>Empusa pennata</i> (Thunberg, 1815)	
Kalotermitidae	
* <i>Incisitermes minor</i> (Hagen, 1858)	
Diptera	
Agromyzidae	
<i>Agromyzidae ógr</i>	
<i>Cerodontha incisa</i> (Meigen, 1830)	
<i>Cerodontha islandica</i> Griffiths, 1968	
<i>Cerodontha lindrothi</i> Griffiths, 1964	
<i>Liriomyza huidobrensis</i> (Blanchard, 1926)	
<i>Liriomyza richteri</i> Hering, 1927	
<i>Napomyza evanescens</i> (Hendel, 1920)	
<i>Napomyza nigritula</i> (Zetterstedt, 1838)	
<i>Phytoliriomyza dorsata</i> (Siebke, 1864)	
<i>Phytomyza affinis</i> Fallén, 1823	
<i>Phytomyza angelicae</i> Kaltenbach, 1874	
<i>Phytomyza cf. continua</i> Hendel, 1920	
<i>Phytomyza fallaciosa</i> Brischke, 1881	
<i>Phytomyza farfarella</i> Hendel, 1935	
<i>Phytomyza hedingi</i> Rydén, 1953	
<i>Phytomyza horticola</i> Goureaux, 1851	
<i>Phytomyza milii</i> Kaltenbach, 1864	
<i>Phytomyza nigra</i> Meigen, 1830	
<i>Phytomyza opacella</i> Hendel, 1935	
<i>Phytomyza ranunculi</i> (Schrank, 1803)	
<i>Phytomyza rufipes</i> Meigen, 1830	



*Phytomyza* sp.

*Phytomyza varipes* Mecquart, 1835

Anisopodidae

*Sylvicola fenestralis* (Scopoli, 1763)

Anthomyiidae

*Alliopsis sepiella* (Zetterstedt, 1845)

*Anthomyiidae* ógr.

*Anthomyiidae* Su.1

*Botanophila betarum* (Lintner, 1883)

*Botanophila fugax* (Meigen, 1826)

*Botanophila profuga* (Stein, 1916)

*Botanophila rubrigena* (Schnabl, 1915)

*Botanophila silvatica* (Robineau-Desvoidy, 1830)

*Botanophila* sp.

*Botanophila tuxeni* (Ringdahl, 1953)

*Delia angustifrons* (Meigen, 1826)

*Delia echinata* (Séguy, 1923)

*Delia fabricii* (Holmgren, 1872)

*Delia platura* (Meigen, 1826)

*Delia radicum* (Linnaeus, 1758)

*Delia setigera* (Stein, 1920)

*Delia* sp.

*Egle lyneborgi* Ackland & Griffiths, 2003

Víðireklafluga

*Egle minuta* (Meigen, 1826)

Víðifræfluga

*Egle pilitibia* (Ringdahl, 1918)

Víðikólfluga

*Egle* sp.

*Fucellia fucorum* (Fallén, 1819)

*Fucellia maritima* (Haliday, 1838)

*Hydrophoria albiceps* (Meigen, 1826)

*Lasiomma picipes* (Meigen, 1826)

*Lasiomma seminiditum* (Zetterstedt, 1845)

*Pegomya bicolor* (Wiedemann, 1817)

*Pegomya fulgens* (Meigen, 1826)

*Pegomya furva* Ringdahl, 1938

*Pegomya icterica* (Holmgren, 1873)

*Pegomya notabilis* (Zetterstedt, 1846)

*Pegomya* sp.



*Pegoplata infirma* (Meigen, 1826)  
*Zaphne ambigua* (Fallén, 1823)  
*Zaphne brunneifrons* (Zetterstedt, 1838)  
*Zaphne divisa* (Meigen, 1826)  
*Zaphne frontata* (Zetterstedt, 1838)  
*Zaphne sp.*  
*Zaphne subarctica* (Ringdahl, 1918)

Anthomyzidae

*Anthomyza socculata* (Zetterstedt, 1847)

Asilidae

\**Coerades gilva* Linnaeus, 1758  
\**Promachus vertebratus* (Say, 1823)

Bibionidae

*Bibio nigriventris* Haliday, 1833      Þerrilöpp  
*Bibio pomonae* (Fabricius, 1775)      Galdralöpp  
*Dilophus femoratus* Meigen, 1804      Sóttarlöpp

Bolitophilidae

*Bolitophila cinerea* Meigen, 1818  
*Bolitophila triangulata* Edwards 1941

Calliphoridae

*Calliphora uralensis* (Villeneuve, 1922)      Fiskibokka  
*Calliphora vicina* Robineau-Desvoidy, 1830      Skreiðarbokka  
*Calliphora vomitoria* (Linnaeus, 1758)      Skeggbokka  
\**Cordylobia anthropophaga* (Blanchard, 1872)      Húðbokka  
*Cynomya mortuorum* (Linnaeus, 1761)      Hræbokka  
*Pollenia rudis* (Fabricius, 1794)      Ánabokka  
*Protophormia terraenovae* (Robineau-Desvoidy, 1830)      Kirkjubokka

Carnidae

*Meoneura lamellata* Collin, 1930  
*Meoneura obscurella* (Fallén, 1823)

Cecidomyiidae

*Campylomyia sp.*  
*Cecidomyiidae sp.A*  
*Cecidomyiidae sp.B*  
*Cecidomyiidae sp.C*  
*Cecidomyiidae sp.D*  
*Cecidomyiidae sp.E*  
*Cecidomyiidae sp.F*  
*Cecidomyiidae sp.G*



*Cecidomyiidae* Su.1

*Cecidomyiidae* Su.2

*Cecidomyiidae* Su.3

*Lestremia* sp.

*Oligotrophus betulae* (Winnertz, 1853)

?*Paralelodiplosis* sp.

?*Rhabdophaga* sp.

*Semudobia betulae* (Winnertz, 1853)

Birkihnúðmý

Ceratopogonidae

*Ceratopogonidae* ógr.

*Culicoides reconditus* Campbell & Pelham-Clinton, 1960

*Dasyhelea flavosutellata* (Zetterstedt, 1850)

*Dasyhelea notata* Goetghebuer, 1920

*Dasyhelea sericata* (Winnertz, 1852)

*Forcipomyia* sp.

*Isohelea* sp.

*Monohelea leucopeza* (Meigen, 1804)

Chamaemyiidae

*Chamaemyia geniculata* (Zetterstedt, 1838)

Chironomidae

*Ablabesmyia monilis* (Linnaeus, 1758)

*Arctopelopia barbitarsis* (Zetterstedt, 1850)

*Arctopelopia griseipennis* (van der Wulp, 1858)

*Bryophaenocladus dentatus* (Karl, 1937)

*Bryophaenocladus* sp.

*Camptocladus stercorarius* (de Geer, 1776)

*Chaetocladus dissipatus* (Edwards, 1929)

*Chaetocladus laminatus* Brundin, 1947

*Chaetocladus melaleucus* (Meigen, 1818)

*Chaetocladus perennis* (Meigen, 1830)

*Chaetocladus* sp.

*Chaetocladus suecicus* (Kieffer, 1916)

*Chironomidae* ógr.

*Chironominae* ógr.

*Chironomus (C.) anthracinus* *Chironomus anthracinus*

*Chironomus (C.) aprilinus* *Chironomus aprilinus*

*Chironomus (C.) dorsalis* *Chironomus dorsalis* Meigen,



*Chironomus (C.) islandicus* Chironomus islandicus  
*Chironomus (C.) jonmartini* Chironomus jonmartini  
*Chironomus (C.) salinarius*  
*Chironomus (C.) sp. E*  
*Chironomus (C.) sp. F*  
*Chironomus (C.) thummi-group*  
*Chironomus lugubris* Zetterstedt, 1850  
*Chironomus pilicornis* (Fabricius, 1787)  
*Chironomus spp.*  
*Clunio marinus* Haliday, 1855  
*Corynoneura fittkai* Schlee, 1968  
*Cricotopus cylindraceus* (Kieffer, 1908)  
*Cricotopus intersectus* (Staeger, 1839)  
*Cricotopus pilosellus* Brundin, 1956  
*Cricotopus polaris* Kieffer, 1926  
*Cricotopus sp.*  
*Cricotopus sylvestris* (Fabricius, 1794)  
*Cricotopus tibialis* (Meigen, 1804)  
*Diamesa aberrata* Lundbeck, 1898  
*Diamesa bertrami* Edwards, 1935  
*Diamesa bohemani* Goetghebuer, 1932  
*Diamesa incallida* (Walker, 1856)  
*Diamesa latitarsis* (Goetghebuer, 1921)  
*Diamesa lindrothi* Goetghebuer in Lindroth, 1931  
*Diamesa permacer* (Walker, 1856)  
*Diamesa sp.*  
*Diamesa zernyi* Edwards, 1933  
*Dicrotendipes modestus* (Say, 1923)  
*Eukiefferiella claripennis* (Lundbeck, 1898)  
*Eukiefferiella minor* (Edwards, 1929)  
*Eukiefferiella sp.*  
*Gymnometriocnemus subnudus* (Edwards, 1929)  
*Halocladus variabilis* Halocladus (H.) variabilis Leirumý  
*Halocladus varians* Halocladus (H.) varians (Staeger,  
*Heterotrissocladius grimshawi* (Edwards, 1929)  
*Heterotrissocladius marcidus* (Walker, 1856)  
*Limnophyes bidumus* Sæther, 1990





- Limnophyes difficilis* Brundin, 1947  
*Limnophyes schnelli* Sæther, 1990  
*Limnophyes* sp.  
*Macropelopia adaucta* (Kieffer, 1916)  
*Macropelopia nebulosa* (Meigen 1804) Dröfnumý  
*Metriocnemus eurynotus* (Holmgren, 1833)  
*Metriocnemus fuscipes* (Meigen, 1818)  
*Metriocnemus* sp.  
*Metriocnemus ursinus* (Holmgren, 1869)  
*Micropsectra atrofasciata* Kieffer, 1911  
*Micropsectra lindrothi* Goetghebuer in Lindroth, 1931  
*Micropsectra recurvata* (Goetghebuer, 1928)  
*Micropsectra* sp.  
*Oliveridia tricornis* (Oliver, 1976)  
*Orthocladiinae*  
*Orthocladius consobrinus* (Holmgren, 1869)  
*Orthocladius frigidus* (Zetterstedt, 1838)  
*Orthocladius fuscimanus* (Kieffer, 1908)  
*Orthocladius oblidens* (Walker, 1856)  
*Orthocladius* sp.A  
*Orthocladius sublettorum* Cranston, 1998  
*Paracladius conversus* (Walker, 1856)  
*Paracladopelma laminata* (Kieffer, 1921)  
*Paracladopelma nigritula* (Goetghebuer, 1942)  
*Paracladopelma* sp.  
*Paraphaenocladius impensus* (Walker, 1856)  
*Paraphaenocladius irritus* (Walker, 1856)  
*Paraphaenocladius* sp.  
*Parochlus kiefferi* (Garrett, 1925)  
*Procladius islandicus* (Goetgebuer in Lindroth, 1931)  
*Psectrocladius barbimanus* (Edwards, 1929)  
*Psectrocladius limbatellus* (Holmgren, 1869)  
*Psectrocladius obvius* (Walker, 1856)  
*Psectrocladius octomaculatus* Wülker, 1956  
*Psectrocladius psilopterus* Kieffer, 1906  
*Psectrocladius* sp.  
*Psectrotanypus varius* (Fabricius, 1787)



---

<i>Pseudodiamesa branickii</i> (Nowicki, 1873)	
<i>Pseudodiamesa nivosa</i> (Goetghebuer, 1928)	
<i>Pseudosmittia</i> sp.	
<i>Rheocricotopus effusus</i> (Walker, 1856)	
<i>Smittia aterrima</i> (Meigen, 1818)	
<i>Smittia</i> sp.	
<i>Smittia</i> sp.A	
<i>Tanypodinae</i>	
<i>Tanytarsus gracilentus</i> (Holmgren, 1883)	
<i>Tanytarsus</i> sp.	
<i>Telmatogeton japonicus</i> Tokunaga, 1933	Strandmý
<i>Thienemania gracilis</i> Kieffer, 1909	
<i>Thienemanniella clavicornis</i> Thienemaniella clavicornis	
<i>Thienemanniella</i> sp.	
<b>Chloropidae</b>	
<i>Oscinella vindicata</i> (Meigen, 1830)	Grasfritta
<i>Thaumatomyia glabra</i> (Meigen, 1830)	Rákafritta
<b>Coelopidae</b>	
<i>Coelopa frigida</i> (Fabricius, 1805)	Þangfluga
<b>Dixidae</b>	
<i>Dixidae</i> ógr.	
<b>Dolichopodidae</b>	
<i>Campsicnemus armatus</i> (Zetterstedt, 1849)	Bakkastulta
<i>Dolichopus plumipes</i> (Scopoli, 1763)	Blómstulta
<i>Hydrophorus viridis</i> (Meigen, 1824)	Skeggstulta
^ <i>Medetera diadema</i> (Linnaeus, 1767)	
<i>Sympycnus desoutteri</i> Parent, 1925	Garðstulta
<i>Syntormon pallipes</i> (Fabricius, 1794)	
<b>Drosophilidae</b>	
<i>Chymomyza costata</i> (Zetterstedt, 1838)	Barkargerla
^ <i>Drosophila funebris</i> (Fabricius, 1787)	Fjósgerla
^ <i>Drosophila melanogaster</i> Meigen, 1830	Ediksgerla
^ <i>Drosophila repleta</i> Wollaston, 1858	Soragerla
* <i>Drosophila</i> sp.	
<i>Scaptomyza graminum</i> (Fallén, 1823)	Arfagerla
<i>Scaptomyza pallida</i> (Zetterstedt, 1847)	Rotgerla
<b>Empididae</b>	
<i>Chelifera precatória</i> (Fallén, 1815)	Beiðubredda



<i>Chersodromia arenaria</i> (Haliday, 1833)	Strandbredda
<i>Clinocera stagnalis</i> (Haliday, 1833)	Bakkabredda
* <i>Empis livida</i> Linnaeus, 1758	Blómabredda
<i>Empis lucida</i> Zetterstedt, 1838	Kjarrbredda
<i>Hilara chorica</i> (Fallén, 1816)	
<i>Platypalpus ecalceatus</i> (Zetterstedt, 1838)	Skógarbredda
<i>Rhamphomyia hirtula</i> Zetterstedt, 1842	Fjallabredda
<i>Rhamphomyia simplex</i> Zetterstedt, 1849	Grábredda
Ephydriidae	
<i>Gymnoclasiopa bohemanni</i> Gymnoglasiopa bohemanni	
<i>Gymnoclasiopa lambi</i> (Collin, 1943=	
<i>Hydrellia griseola</i> (Fallén, 1813)	Stráperla
<i>Lamproscatella sibilans</i> (Haliday, 1833)	
<i>Linnellia quadrata</i> (Fallén, 1813)	
<i>Linnellia surturi</i> Andersson, 1971	
<i>Parydra pusilla</i> (Meigen, 1830)	
<i>Philygria vittipennis</i> (Zetterstedt, 1838)	Melaperla
<i>Scatella paludum</i> (Meigen, 1830)	Silfurperla
<i>Scatella stagnalis</i> (Fallén, 1813)	Bakkaperla
<i>Scatella tenuicosta</i> Collin, 1930	Laugaperla
<i>Scatella tenuicosta thermarum</i> Collin, 1930	Varmaperla
<i>Scatophila unicornis</i> Czerny, 1900	Gaddperla
Fanniidae	
<i>Fannia canicularis</i> (Linnaeus, 1761)	Hússverma
<i>Fannia cf. bifimbriata</i> Collin, 1938	
<i>Fannia incisurata</i> (Zetterstedt, 1838)	
<i>Fannia lucidula</i> (Zetterstedt, 1860)	Strandsverma
<i>Fannia manicata</i> (Meigen, 1826)	Garðsverma
<i>Fannia mollissima</i> (Haliday, 1840)	Varpasverma
<i>Fannia postica</i> (Stein, 1895)	Engisverma
<i>Fannia scalaris</i> (Fabricius, 1794)	Skógarsverma
<i>Fannia sp.</i>	
<i>Fannia tuberculata</i> (Zetterstedt, 1849)	Mýrsverma
Helcomyzidae	
<i>Heterocheila buccata</i> (Fallén, 1820)	Fjörufluga
Heleomyzidae	
<i>Heleomyza borealis</i> (Boheman, 1866)	
<i>Heleomyza serrata</i> (Linnaeus, 1758)	



*Heleomyzidae* ógr.

*Neoleria prominens* (Becker, 1897)

*Oecothea fenestralis* (Fallén, 1820)

*Tephrochlaena oraria* Collin, 1943

*Tephrochlamys tarsalis* (Zetterstedt, 1847)

Hippoboscidae

"*Hippobosca equina* Linnaeus, 1758)

Hrossaludda

†*Melophagus ovinus* (Linnaeus, 1758)

Færilús

"*Ornithoica podicipis* von Röder, 1892

"*Ornithomya avicularia* (Linnaeus, 1758)

*Ornithomya chloropus* Bergroth, 1901

Snípuludda

"*Ornithomya fringillina* Curtis, 1836

"*Stenopteryx hirundinis* (Linnaeus, 1758)

Svöluludda

Keroplastidae

*Macrocera*?

*Macrocera nigropicea* Lundström, 1906

*Macrocera parva* Lundström, 1914

Lauxaniidae

*Lauxaniidae* ógr.

*Lyciella rorida* (Fallén, 1820)

Blaðfluga

Limoniidae

*Dicranomyia autumnalis* (Staeger, 1840)

*Dicranota exclusa* (Walker, 1848)

*Erioptera trivialis* Meigen, 1818

*Limnophila meigeni* Verrall, 1887

*Limonia didyma* (Meigen, 1818)

*Limonia macrostigma* (Schummel, 1829)

Fenjasilmý

*Limonia* sp.

*Limonia trivittata* (Schummel, 1829)

*Ormosia fascipennis* (Zetterstedt, 1838)

Dílasilmý

*Ormosia hederæ* (Curtis, 1835)

Lækjasilmý

*Rhabdomastix parva* (Siebke, 1873)

*Rhipidia maculata* Meigen 1818

*Symplecta hybrida* (Meigen, 1804)

Lonchopteridae

*Lonchoptera bifurcata* (Fallén, 1810)

Muscidae

*Coenosia pumila* (Fallén, 1825)

Vallfluga



---

<i>Graphomya maculata</i> (Scopoli, 1763)	
<i>Helina annosa</i> (Zetterstedt, 1836)	Gistifluga
<i>Hydrotaea armipes</i> (Fallén, 1825)	
<i>Hydrotaea cristata</i> Malloch, 1918	
<i>Hydrotaea dentipes</i> (Fabricius, 1805)	Skarnfluga
<i>Limnophora pandellei</i> Séguy, 1923	
<i>Limnophora riparia</i> (Fallén, 1824)	
<i>Limnophora sinuata</i> Collin, 1930	
<i>Limnophora uniseta</i> Stein, 1916	
<i>Lispe consanguinea</i> Loew, 1858	
<i>Musca domestica</i> Linnaeus, 1758	Húsfluga
<i>Muscidae</i> ógr.	
* <i>Muscina stabulans</i> (Fallén, 1817)	
<i>Mydaea palpalis</i> Stein, 1916	
<i>Myospila meditabunda</i> (Fabricius, 1781)	
* <i>Ophyra aenescens</i> (Wiedemann, 1830)	
<i>Phaonia errans</i> (Meigen, 1826)	
<i>Spilogona alpica</i> (Zetterstedt, 1845)	
<i>Spilogona baltica</i> (Ringdahl, 1918)	
<i>Spilogona contractifrons</i> (Zetterstedt, 1838)	
<i>Spilogona depressiuscula</i> (Zetterstedt, 1838)	
<i>Spilogona megastoma</i> (Boheman, 1866)	
<i>Spilogona micans</i> (Ringdahl, 1918)	
<i>Spilogona opaca</i> (Schnabl, 1915)	
<i>Spilogona pacifica</i> (Meigen, 1826)	
<i>Thricops cunctans</i> (Meigen, 1826)	Hvannafluga
<i>Thricops longipes</i> (Zetterstedt, 1845)	Kerfilsfluga
<i>Thricops rostratus</i> (Meade, 1882)	Trjónufluga
Mycetophilidae	
<i>Allocotocera pulchella</i> (Curtis, 1837)	
<i>Allodia embla</i> Hackman, 1971	
<i>Allodiopsis domestica</i> (Meigen, 1830)	
<i>Allodiopsis</i> sp.	
<i>Anatella</i> sp.	
<i>Boletina basalis</i> (Meigen, 1818)	
<i>Boletina gripha</i> Dziedzicki, 1885	
<i>Boletina</i> sp.	



*Brevicornu auriculatum* (Edwards, 1925)  
*Brevicornu griseicolle* (Staeger, 1940)  
*Brevicornu griseolum* (Zetterstedt, 1852)  
*Brevicornu kingi* (Edwards, 1925)  
*Brevicornu proximum* (Staeger, 1840)  
*Brevicornu sp.*  
*Brevicornu verralli* (Edwards, 1925)  
*Cordyla pusilla* Edwards, 1925  
*Exechia borealis* Lundström, 1912  
*Exechia frigida* (Boheman, 1865)  
*Exechia fusca* (Meigen, 1804)  
*Exechia micans* Lastovka & Matile, 1974  
*Exechia nigra* Edwards, 1925  
*Exechia pectinivalva* Stackelberg, 1948  
*Exechia pseudofestiva* Lackschewitz, 1937  
*Exechia sp.*  
*Exechia sp.A*  
*Exechia spinuligera* Lundström, 1912  
*Exechiopsis ligulata* (Lundström, 1913)  
*Leia fascipennis* Meigen, 1818  
*Mycetophila fungorum* (De Geer, 1776)  
*Mycetophila marginata* Winnertz, 1863  
*Mycomya bicolor* (Dziedzicki, 1885)  
*Mycomya islandica* Väisänen, 1984  
*Phronia biarcuata* (Becker, 1908)  
*Phronia bicolor* Dziedzicki, 1889  
*Phronia braueri* Dziedzicki, 1889  
*Phronia exigua* (Zetterstedt, 1852)  
*Phronia sp.*  
*Phronia taczanowskyi* Dziedzicki, 1889  
*Rymosia fasciata* (Meigen, 1804)  
*Rymosia speyae* Chandler, 1994  
*Sceptonia fumipes* Edwards, 1925  
*Sciophila hirta* Meigen, 1818  
*Sciophila parviareolata* Santos Abreu, 1920  
*Sciophila sp.*  
*Trichonta atricauda* (Zetterstedt, 1852)



<i>Trichonta sp.</i>	
<i>Trichonta terminalis</i> (Walker, 1856)	
<i>Zygomyia pseudohumeralis</i> Caspers, 1980	
<i>Zygomyia vara?</i> <i>Zygomyia vara</i> (Staeger, 1840)?	
Opomyzidae	
<i>Geomyza tripunctata</i> Fallén, 1823	Grasfluga
Palloppteridae	
<i>Pallopptera umbellatarum</i> (Fabricius, 1775)	Körfusprekla
<i>Toxoneura trimacula</i> (Meigen, 1826)	Gulsprekla
Phoridae	
<i>Megaselia clara</i> (Schmitz, 1921)	Heiðakryppa
<i>Megaselia coccyx</i> Schmitz, 1965	
<i>Megaselia giraudii</i> group	
<i>Megaselia humeralis</i> (Zetterstedt, 1838)	
<i>Megaselia parnassia</i> Disney, 1986	
<i>Megaselia parnassia/quadrisseta</i>	
<i>Megaselia pleuralis</i> (Wood, 1909)	
^ <i>Megaselia pumila</i> (Meigen, 1830)	
<i>Megaselia quadrisseta</i> (Schmitz, 1918)	
<i>Megaselia sordida</i> (Zetterstedt, 1838)	Mókryppa
<i>Megaselia sp.</i>	
<i>Megaselia tarsicia</i> Schmitz, 1926	
<i>Triphleba renidens</i> Schmitz, 1927	
Piophilidae	
<i>Liopiophila varipes</i> (Meigen, 1830)	
<i>Parapiophila vulgaris</i> (Fallén, 1820)	
<i>Prochyliza lundbecki</i> (Duda, 1924)	
Psilidae	
<i>Chamaepsila limbatella</i> (Zetterstedt, 1847)	Rótarfluga
Psychodidae	
<i>Psychoda albipennis</i> Zetterstedt, 1850)	
<i>Psychoda cinerea</i> Banks, 1894	
<i>Psychoda satchelli</i> Quate, 1955	
Rhagionidae	
<i>Rhagio scolopacea</i> (Linnaeus, 1758)	Snípufluga
* <i>Rhagio triangarius</i> (Linnaeus, 1758)	
Scathophagidae	
<i>Ceratinostoma ostiorum</i> (Curtis, 1832)	
<i>Chaetosa punctipes</i> (Meigen, 1826)	



*Norellisoma spinimanum* (Fallén, 1819)

*Scathophaga calida* Haliday in Curtis, 1832

*Scathophaga furcata* (Say, 1823)

*Scathophaga litorea* Fallén, 1819

*Scathophaga stercoraria* (Linnaeus, 1758)

Mykjufluga

*Scathophagidae* ógr.

#### Scatopsidae

*Scatopse notata* (Linnaeus, 1758)

#### Sciaridae

*Bradysia brunnipes* (Meigen, 1804)

*Bradysia cf. nitidicollis* (Meigen, 1818)

*Bradysia confinis* (Winnertz, 1867)

*Bradysia degenerans* Frey, 1948

*Bradysia fungicola* (Winneertz, 1867)

*Bradysia rufescens* (Zetterstedt, 1852)

*Bradysia vagans* (Winnertz, 1868)

*Corynoptera forcipata* (Winnertz, 1867)

*Corynoptera fulvicollis* Tuomikoski, 1960

*Corynoptera montana* (Winnertz, 1869)

*Lycoriella brevipila* Tuomikoski, 1960

*Lycoriella conspicua* (Winnertz, 1867)

*Lycoriella modesta* (Staeger, 1840)

*Lycoriella venosa* (Staeger, 1840)

*Plastosciara detrita* Frey, 1953

*Plastosciara nobilis* (Winnertz, 1867)

*Scaptosciara vivida* (Winnertz, 1867)

#### Sciomyzidae

*Dictya umbrarum* (Linnaeus, 1758)

*Pherbellia grisescens* (Meigen, 1830)

*Pherbellia ventralis* (Fallén, 1820)

*Pteromicra glabricula* (Fallén, 1820)

*Tetanocera robusta* Loew, 1847

#### Sepsidae

*Orygma luctuosum* Meigen, 1830

*Themira arctica* (Becker, 1915)

*Themira leachi* (Meigen, 1826)

*Themira pusilla* (Zetterstedt, 1847)

#### Simuliidae

\* innflutt / imported    ^ innanhúss / indoors    " með vindum / airborne    † útdauð / extinct    ? óljós / unclear





---

<i>Prosimulium ursinum</i> (Edwards, 1935)	Meyjarvargur
<i>Simulium aureum</i> Fries, 1824	Gullvargur
<i>Simulium vernalis</i> Macquart, 1826	
<i>Simulium vittatum</i> Zetterstedt, 1838	Mývargur
Sphaeroceridae	
<i>Apteromyia claviventris</i> (Strobl, 1909)	
<i>Borborillus fumipennis</i> (Stenhammar, 1854)	
<i>Coproica vagans</i> (Haliday, 1833)	
<i>Copromyza borealis</i> Zetterstedt, 1847	
<i>Copromyza equina</i> Fallén, 1820	
<i>Copromyza nigrina</i> (Gimmerthal, 1847)	Taðfluga
<i>Copromyza</i> sp.	
<i>Crumomyia nigra</i> (Meigen, 1830)	
<i>Crumomyia nitida</i> (Meigen, 1830)	
<i>Gonioneura spinipennis</i> (Haliday, 1836)	
<i>Herniosina bequaerti</i> (Villeneuve, 1917)	
<i>Ischiolepta pusilla</i> (Fallén, 1820)	
<i>Leptocera caenosa</i> (Rondani, 1880)	
<i>Leptocera fontinalis</i> (Fallén, 1826)	
<i>Limosinae</i> ógr.	
<i>Minilimosina fungicola</i> (Haliday, 1836)	
<i>Minilimosina vitripennis</i> (Zetterstedt, 1847)	
<i>Phthitia empirica</i> (Hutton, 1901)	
<i>Phthitia plumosula</i> (Rondani, 1880)	
<i>Pseudocollinella humida</i> (Haliday, 1836)	
<i>Pteremis fenestralis</i> (Fallén, 1820)	
<i>Pullimosina heteroneura</i> (Haliday, 1836)	
<i>Pullimosina pullula</i> (Zetterstedt, 1847)	
<i>Rachispoda lutosa</i> (Stenhammar, 1855)	
<i>Spelobia clunipes</i> (Meigen, 1830)	
<i>Spelobia luteilabris</i> (Rondani, 1880)	
<i>Spelobia pseudosetaria</i> (Duda, 1918)	
<i>Spelobia rufilabris</i> (Stenhammar, 1855)	
<i>Spelobia</i> sp.	
<i>Sphaerocera curvipes</i> Latreille, 1804	
<i>Sphaeroceridae</i> ógr.	
<i>Sphaeroceridae</i> Su.1	



*Telomerina flavipes* (Meigen, 1830)  
*Thoracochaeta brachystoma* (Stenhammar, 1854)  
*Thoracochaeta zosteræ* (Haliday, 1833)  
*Trachyopella bovilla* Collin, 1954

Syrphidae

<i>Dasysyrphus pinastri</i> (Degeer, 1776)	Mánasveifa
<i>Dasysyrphus tricinctus</i> (Fallén, 1817)	Skógarsveifa
" <i>Episyrphus balteatus</i> (DeGeer, 1776)	Beltasveifa
<i>Eristalis intricaria</i> (Linnaeus, 1758)	Humlusveifa
" <i>Eristalis pertinax</i> (Scopoli, 1763)	Býsveifa
" <i>Eupeodes corollæ</i> (Fabricius, 1794)	Förusveifa
<i>Eupeodes curtus</i> (Hine, 1922)	Dropasveifa
<i>Eupeodes latifasciatus</i> (Macquart, 1829)	Perlusveifa
<i>Eupeodes lundbecki</i> (Soot-Ryen, 1946)	Glersveifa
<i>Eupeodes punctifer</i> (Frey, 1934)	Fjallasveifa
<i>Eupeodes rufipunctatus</i> (Curran, 1925)	Sortusveifa
<i>Helophilus pendulus</i> (Linnaeus, 1758)	Randasveifa
<i>Melangyna lasiophthalma</i> (Zetterstedt, 1843)	Vorsveifa
<i>Melanostoma mellinum</i> (Linnaeus, 1758)	Blæsveifa
" <i>Meliscaeva auricollis</i> (Meigen, 1822)	
<i>Neoascia tenur</i> (Harris, 1780)	Dvergsveifa
<i>Parasyrphus tarsatus</i> (Zetterstedt, 1838)	Heiðasveifa
<i>Platycheirus albimanus</i> (Fabricius, 1781)	Blásveifa
<i>Platycheirus amplus</i> Curran, 1927	
<i>Platycheirus amplus/islandicus</i>	
<i>Platycheirus clypeatus</i> (Meigen, 1822)	Mýrsveifa
<i>Platycheirus islandicus</i> (Ringdahl, 1930)	Birkisveifa
<i>Platycheirus manicatus</i> (Meigen, 1822)	Snjaldursveifa
<i>Platycheirus scutatus</i> (Meigen, 1822)	Rjóðursveifa
<i>Platycheirus sp.</i>	
<i>Pyrophaena granditarsa</i> (Förster, 1771)	Starsveifa
" <i>Scaeva pyrastris</i> (Linnaeus, 1758)	
<i>Sericomyia lappona</i> (Linnaeus, 1758)	Forarsveifa
<i>Sphaerophoria fatarum</i> Goeldlin, 1989	Hnúðsveifa
<i>Sphaerophoria scripta</i> (Linnaeus, 1758)	Letursveifa
<i>Syrphus ribesii</i> (Linnaeus, 1758)	Kjarrsveifa
<i>Syrphus torvus</i> Osten-Sacken, 1875	Blómsveifa



Tachinidae	
* <i>Huebneria affinis</i> (Fallén, 1810)	
Tephritidae	
* <i>Ceratitis capitata</i> (Wiedemann, 1824)	Ávaxtafluta
Thaumaleidae	
<i>Thaumalea verralli</i> Edwards, 1929	
Tipulidae	
<i>Prionocera turcica</i> (Fabricius, 1787)	Kaplafluga
<i>Tipula confusa</i> van der Wulp, 1883	Trippafluga
<i>Tipula paludosa</i> Meigen, 1830	Folafluga
<i>Tipula rufina</i> Meigen, 1818	Hrossafluga
Trichoceridae	
<i>Metatrachocera lutea</i> Becker, 1886	
<i>Trichocera hiemalis</i> (DeGeer, 1776)	Jöldumý
<i>Trichocera maculipennis</i> Meigen, 1818	
<i>Trichocera saltator</i> (Harris, 1776)	
Ætt ógr. Diptera	
<i>Diptera Cyclorrhapha</i>	
<i>Diptera Nematocera</i>	Mýfluga
Ephemeroptera	
Baetidae	
<i>Cloeon simile</i> Eaton, 1870	Dægurfluga
Hemiptera	
Acanthosomatidae	
* <i>Acanthosoma haemorrhoidale</i> (Linnaeus, 1758)	Þyrnatíta
* <i>Cyphostethus tristriatus</i> (Fabricius, 1787)	Einitíta
" <i>Elasmostethus interstinctus</i> (Linnaeus, 1758)	Förutíta
Adelgidae	
<i>Pineus pini</i> (Macquart, 1819)	Furulús
Aleyrodidae	
<i>Aleyrodidae indet.</i>	
^ <i>Bemisia tabaci</i> (Gennadius, 1889)	
^ <i>Trialeuroides vaporariorum?</i> (Westwood, 1856)	Mjöllús
Anthocoridae	
* <i>Anthocoris limbatus</i> Fieber, 1836	
<i>Anthocoris nemorum</i> (Linnaeus, 1761)	
* <i>Orius majusculus</i> (Reuter, 1879)	
Aphididae	
<i>Acyrtosiphon auctum</i> (Walker, 1849)	Fjöruarfalús
<i>Acyrtosiphon boreale</i> Hille Ris Lambers, 1952	



<i>Acyrtosiphon brachysiphon</i> Hille Ris Lambers, 1952	
<i>Acyrtosiphon malvae</i> (Mosley, 1841)	
<i>Acyrtosiphon pisum</i> (Harris, 1776)	
<i>Aphididae</i> ógr.	
<i>Aphis atuberculata</i> Hille Ris Lambers, 1955	
<i>Aploneura ?lentisci</i> (Passerini, 1856)	
<i>Aulacorthum solani</i> (Kaltenbach, 1843)	
<i>Betulaphis brevopilosa</i> Börner, 1940	
<i>Betulaphis quadrituberculata</i> (Kaltenbach, 1843)	Birkiblaðlús
<i>Brachycaudus ?acaudatus</i> Brachycaudus acaudatus	
<i>Brachycaudus helichrysi</i> (Kaltenbach, 1843)	
<i>Brevicoryne brassicae</i> (Linnaeus, 1758)	Kállús
<i>Cavariella aegopodii</i> (Scopoli, 1763)	Slútlús
<i>Cavariella archangelicae</i> (Scopoli, 1763)	Kvistlús
<i>Cavariella konoii</i> Takahashi, 1939	Svignalús
<i>Cinara pilicornis</i> (Hartig, 1841)	Grenisprotalús
<i>Colopha compressa</i> (Koch, 1856)	
<i>Coloradoa rufomaculata</i> (Wilson, 1908)	Bráarlús
<i>Cryptomyzus galeopsidis</i> (Kaltenbach, 1843)	Rifslús
<i>Dysaphis maritima</i> (Hille Ris Lambers, 1955)	
<i>Elatobium abietinum</i> (Walker, 1849)	Sitkalús
<i>Ericaphis latifrons</i> (Börner, 1942)	
<i>Eriosoma ulmi</i> (Linnaeus, 1758)	Ámlús
<i>Euceraphis punctipennis</i> (Zetterstedt, 1828)	Birkisprotalús
<i>Hyperomyzus rhinanthi</i> (Schoutenden, 1903)	
<i>Hyperomyzus thorsteinni</i> Stroyan, 1960	
<i>Jacksonia papillata</i> Theobald, 1923	
<i>Macrosiphum cholodkovskyi</i> Mordvilko, 1909	Mjaðjurtarlús
<i>Macrosiphum euphorbiae</i> (Thomas, 1878)	
<i>Metopolophium dirhodum</i> (Walker, 1849)	
<i>Metopolophium festucae</i> Theobald, 1917	
<i>Myzodium modestum</i> (Hottes, 1926)	Mosalús
<i>Myzus ascalonicus</i> Doncaster, 1946	
<i>Myzus ?persicae</i> (Sulzer, 1776)	
<i>Myzus polaris</i> Hille Ris Lambers, 1952	
<i>Nasonovia compositellae</i> (Theobald, 1924)	
<i>Nasonovia saxifragae</i> (Doncaster & Stroyan, 1952)	



---

<i>Pemphigus groenlandicus</i> Rübsaamen, 1898	
<i>Pemphigus saliciradicis</i> (Börner, 1950)	
<i>Pterocomma rufipes</i> (Hartig, 1841)	Víðistofnlús
<i>Rhopalosiphoninus staphyleae</i> (Koch, 1854)	
<i>Rophalosiphum padi</i> (Linnaeus, 1758)	
<i>Schizaphis graminum</i> (Rondani, 1852)	
<i>Schizaphis rufula</i> (Walker, 1849)	
<i>Sitobion avenae</i> (Fabricius, 1775)	
<i>Thecabius affinis</i> (Kaltenbach, 1843)	
<i>Thripsaphis caricis</i> (Mordvilko, 1921)	Flóalús
<i>Thripsaphis vibei</i> Hille Ris Lambers, 1952	Mýralús
<i>Uroleucon taraxaci</i> (Kaltenbach, 1843)	Fíflalús
Aphrophoridae	
<i>Philaenus spumarius</i> (Linnaeus, 1758)	Froðutifa
Belostomatidae	
* <i>Belostoma ?lutarum</i> (Stål, 1855)	
Cicadellidae	
<i>Cicadula quadrinotata</i> (Fabricius, 1794)	Mýratifa
<i>Edwardsiana rosae</i> (Linnaeus, 1758)	Rósatifa
* <i>Empoasca vitis</i> (Gothe, 1875)	
* <i>Eupteryx decemnotata</i> Rey, 1891	
<i>Evacanthus interruptus</i> (Linnaeus, 1758)	Hvanntifa
<i>Jassargus pseudocellaris</i> (Flor, 1861)	Heytifa
<i>Macrosteles laevis</i> (Ribaut, 1927)	Grastifa
<i>Macrosteles</i> sp.	
<i>Ribautiana ulmi</i> (Linnaeus, 1758)	Álmtifa
Cimicidae	
^ <i>Cimex lectularius</i> Linnaeus, 1758	Veggjalús
<i>Lyctocoris campestris</i> (Fabricius, 1794)	
Coccidae	
<i>Coccus hesperidum</i> Linnaeus, 1758	
Coreidae	
* <i>Coreidae</i> ógr.	
* <i>Leptoglossus occidentalis</i> Heidemann, 1910	Furutíta
* <i>Leptoglossus phyllopus</i> (Linnaeus, 1767)	
* <i>Plinachtus imitator</i> (Reuter, 1891)	
Corixidae	
<i>Arctocorisa carinata</i> (C.R. Sahlberg, 1819)	Tjarnatíta
Delphacidae	



---

<i>Javesella pellucida</i> (Fabricius, 1794)	Sporatifa
Diaspididae	
* <i>Aonidiella aurantii</i> (Maskell, 1879)	
* <i>Chionaspis salicis</i> (Linnaeus, 1758)	
* <i>Lepidosaphes beckii</i> (Newman, 1869)	
* <i>Lepidosaphes gloverii</i> (Packard, 1869)	
* <i>Parlatoria pergandii</i> Comstock, 1881	
^ <i>Pinnaspis aspidiatrae</i> (Signoret, 1869)	Burknaskjaldlús
* <i>Pseudaulacaspis pentagona</i> MacGillivray, 1921	
Lygaeidae	
* <i>Gastrodes abietum</i> Bergroth, 1914	
<i>Geocoris lapponicus</i> Zetterstedt, 1838	
* <i>Heterogaster urticae</i> (Fabricius, 1775)	Netlutíta
* <i>Lygaeus equestris</i> (Linnaeus, 1758)	
<i>Nysius ericae</i> (Schilling, 1829)	Mosatíta
* <i>Rhyparochromus vulgaris</i> (Schilling, 1829)	
* <i>Spilostethus pandurus</i> (Scopoli, 1763)	Skræputíta
* <i>Spilostethus sp.</i>	
Microphysidae	
<i>Myrmedobia exilis</i> (Fallén, 1807)	
Miridae	
* <i>Heterotoma planicornis</i> (Pallas, 1772)	
<i>Pachytomella parallela</i> (Meyer-Dür, 1843)	Krummatíta
* <i>Stenodema virens</i> (Linnaeus, 1767)	
<i>Teratocoris saundersi</i> Douglas & Scott, 1869	Engjatíta
Nabidae	
<i>Nabis flavomarginatus</i> Scholtz, 1847	Beiðutíta
Ortheziidae	
<i>Arctorthezia cataphracta</i> (Shaw, 1794)	Sekkskjalda
Pentatomidae	
* <i>Acrosternum hilare</i> (Say, 1832)	
* <i>Acrosternum millierei</i> (Mulsant & Rey, 1866)	
* <i>Arma custos</i> (Fabricius, 1794)	
* <i>Brochymena ?sulcata</i> Van Duzee, 1918	
* <i>Chlorochroa juniperina</i> (Linnaeus, 1758)	Einiberjatíta
* <i>Chlorochroa kanei</i> Buxton & Thomas, 1983	
<i>Chlorochroa sp.</i>	
* <i>Dolychoris baccarum</i> Dolychoris baccarum (Linnaeus,	Hindberjatíta
* <i>Erthesina fullo</i> (Thunberg, 1783)	

---

\* innflutt / imported    ^ innanhúss / indoors    " með vindum / airborne    † útdauð / extinct    ? óljós / unclear



* <i>Eurydema ornata</i> (Linnaeus, 1758)	Káltíta
* <i>Eurydema ventralis</i> Kolenati, 1846	
* <i>Halyomorpha halys</i> (Stål, 1855)	Marmaratíta
* <i>Jalla dumosa</i> (Linnaeus, 1758)	Línutíta
* <i>Nezara viridula</i> (Linnaeus, 1758)	Baunatíta
* <i>Palomena prasina</i> (Linnaeus, 1761)	Aldintíta
* <i>Pentatoma rufipes</i> (Linnaeus, 1758)	
* <i>Piezodorus lituratus</i> (Fabricius, 1794)	Ertutíta
* <i>Rhaphigaster nebulosa</i> (Poda, 1761)	Fléttutíta
* <i>Zicrona caerulea</i> (Linnaeus, 1758)	Blátíta
Pseudococcidae	
<i>Peliococcus balteatus</i> (Green, 1928)	
<i>Pseudococcidae</i> ógr.	
<i>Rhizococcus granulatus</i> (Green, 1931)	
<i>Trionymus incertus</i> Green, 1931	
<i>Trionymus islandiensis</i>	
<i>Trionymus thulensis</i> Green, 1931	
Psyllidae	
* <i>Cacopsylla</i> sp.	
<i>Strophingia ericae</i> (Curtis, 1835)	
* <i>Trioza apicalis</i> Förster, 1848	
Reduviidae	
* <i>Zelus renardii</i> Kolenati 1856	
Rhopalidae	
* <i>Corizus hyoscyami</i> (Linnaeus, 1758)	
Saldidae	
<i>Salda littoralis</i> (Linnaeus, 1758)	Leirtíta
<i>Saldula orthochila</i> (Fieber, 1859)	Varpatíta
Tingidae	
<i>Acalypta nigrina</i> (Fallén, 1807)	Grímutíta
Ætt ógr. Hemiptera	
<i>Coccoidea</i> ógr.	
Hymenoptera	
Aphelinidae	
<i>Aphelinidae</i> sp.A	
<i>Aphelinus abdominalis</i> (Dalman, 1820)	
<i>Aphelinus</i> sp. ( <i>Mesidia</i> sp.)	
Apidae	
* <i>Apis mellifera</i> Linnaeus, 1758	Alibýfluga



<i>Bombus hortorum</i> (Linnaeus, 1961)	Garðhumla
<i>Bombus hypnorum</i> (Linnaeus, 1758)	Rauðhumla
<i>Bombus jonellus</i> (Kirby, 1802)	Móhumla
<i>Bombus lucorum</i> (Linnaeus, 1761)	Húshumla
<i>Bombus pascuorum</i> (Scopoli, 1763)	Ryðhumla
<i>Bombus pratorum</i> (Linnaeus, 1761)	Akurhumla
* <i>Melecta duodecimmaculata</i> (Rossi, 1790)	
* <i>Xylocopa pubescens</i> Spinola, 1838	Trjáholubý
Bethylidae	
<i>Bethylus fuscicornis</i> (Jurine, 1807)	
Braconidae	
<i>Aleiodes ?borealis</i> (Thomson, 1892)	
<i>Aleiodes circumscriptus</i> (Nees, 1834)	
<i>Alloea contracta</i> Haliday, 1833	
<i>Alysia atra</i> Haliday, 1838	
<i>Alysia manducator</i> (Panzer, 1799)	
<i>Alysiinae</i> ógr.	
<i>Alysiinae</i> Su.1	
<i>Alysiinae</i> Su.2	
<i>Alysiinae</i> Su.3	
<i>Alysiinae</i> Su.4	
<i>Apanteles</i> sp.	
<i>Aphaereta minuta</i> (Nees, 1811)	
<i>Aphaereta</i> sp.	
<i>Aphaereta tenuicornis</i> Nixon, 1939	
<i>Aphidiinae</i> ógr.	
<i>Aphidius cingulatus</i> (Ruthe, 1859)	
<i>Aphidius picipes</i> (Nees, 1811)	
<i>Aphidius ribis</i> Haliday, 1834	
<i>Aphidius rosae</i> Haliday, 1834	
<i>Aphidius salicis</i> Haliday, 1834	
<i>Aphidius</i> sp.	
<i>Aphidius</i> sp.A	
<i>Aphidius</i> sp.B	
<i>Aphidius</i> sp.C	
<i>Aspilota concinna</i> (Haliday, 1838)	
<i>Aspilota fuscicornis</i> (Haliday, 1838)	





*Aspilota sp.*  
*Biosteres carbonarius* (Nees, 1834)  
*Braconidae* (apterous 2)  
*Braconidae* ógr.  
*Chasmodon apterus* (Nees, 1812)  
*Chorebus affinis* (Nees, 1812)  
*Chorebus aphantus* (Marshall, 1895)  
*Chorebus armida* (Nixon, 1945)  
*Chorebus cytherea* (Nixon, 1937)  
*Chorebus eros* (Nixon, 1937)  
*Chorebus siniffa* (Nixon, 1937)  
*Chorebus sp.*  
*Chorebus sp.A*  
*Chorebus sp.B*  
*Chorebus sp.C*  
*Chorebus Su.1*  
*Cotesia brevicornis* (Wesmael, 1837)  
*Cotesia sp.*  
*Dacnusa angelicina* Griffiths, 1967  
*Dacnusa areolaris* (Nees, 1811)  
*Dacnusa confinis* Ruthe, 1859  
*Dacnusa faeroeensis* (Roman, 1917)  
*Dacnusa laevipectus* Thomson, 1895  
*Dacnusa sp.*  
*Dapsilarthra dictynna* (Marshall, 1895)  
*Dapsilarthra sylvia* (Haliday, 1839)  
*Dinotrema distractum* (Nees, 1834)  
*Ephedrus lacertosus* (Haliday, 1833)  
*Ephedrus plagiator* (Nees, 1811)  
*Ephedrus sp.*  
*Hemitelina sp.E*  
*Meteorus cespitator* (Thunberg, 1822)  
*Meteorus rubens* (Nees, 1811)  
*Microgasterinae*  
*Microgasterinae sp.A*  
*Microplitis aduncus* (Ruthe, 1860)  
*Microplitis coactus* (Lundbeck, 1896)



*Microplitis* sp.

*Monoctonus caricis* (Haliday, 1833)

*Orthostigma laticeps* (Thomson, 1895)

*Orthostigma* Su.1

*Panerema inops* Förster, 1862

*Pentapleura angustula* (Haliday, 1838)

*Pentapleura pumilio* (Nees, 1812)

*Phaedrotoma caesa* (Haliday, 1837)

*Phaedrotoma* Su.1

*Phaenocarpa conspurcator* (Haliday, 1838)

*Praon abjectum* (Haliday, 1833)

*Praon volucre* (Haliday, 1833)

*Protapanteles fulvipes* (Haliday, 1834)

*Protapanteles immunis* (Haliday, 1834)

*Rilipertus intricatus* (Ruthe, 1859)

*Trioxys compressicornis* Ruthe, 1859

#### Ceraphronidae

*Aphanogmus abdominalis* (Thomson, 1859)

*Aphanogmus gracilicornis* Förster, 1861

*Aphanogmus nanus* (Nees, 1834)

*Aphanogmus polymorphus* Hellén & Dessart, 1965

*Aphanogmus* sp.

#### Diapriidae

*Basalys parva* Thomson, 1858

*Cinetus excavatus* Kieffer, 1810

*Cinetus ?fuscicornis* Kieffer, 1910

*Cinetus* sp.

*Diapriidae* ógr.

*Diapriidae* Su.1

*Pantoclis trisulcata* Kieffer, 1907

*Platymischus dilatatus* Westwood, 1832

*Polypeza ciliata* (Thomson, 1858)

*Proctotrupoidea* Ógr

*Psilus frontalis* (Thomson, 1859)

*Spilomicrus suecica* (Kieffer, 1916)

*Synacra holconota* Kieffer, 1910

*Trichopria aptera* (Ruthe, 1859)



*Zygota norvegica* (Kieffer, 1912)

Encyrtidae

*Anagyrus* sp.

*Encyrtidae* sp.

*Encyrtidae* sp.A

*Encyrtidae* sp.B

*Encyrtidae* sp.C

*Encyrtidae* sp.D

*Encyrtidae* sp.E

*Encyrtidae* sp.F

*Pseudectroma* sp.

*Rhopus* cf. *piso* (Walker, 1838)

*Rhopus semiapterus* (Mercet, 1921)

*Rhopus* sp.

Eulophidae

*Aprostocetus brachycerus* (Thomson, 1878)

*Aprostocetus crino* (Walker, 1838)

*Aprostocetus zosimus* (Walker, 1839)

*Chrysocharis pallipes* (Nees, 1834)

*Cirrospilus vittatus* Walker, 1838

*Diglyphus chabrias* (Walker, 1838)

*Diglyphus isaea* (Walker, 1838)

*Elachertus inunctus* Nees, 1834

*Eulophidae?*

*Eulophidae* sp.A

*Neochrysocharis* sp.

*Omphale* sp.

*Pnigalio* sp. Schrank, 1802

*Tetrastichinae* ógr.

Figitidae

*Alloxysta brachyptera* (Hartig, 1840)

*Alloxysta ?fulvipes* (Curtis, 1838)

*Alloxysta fuscipes* (Thomson, 1862)

*Alloxysta islandica* Hellén, 1931

*Alloxysta macrophadna* (Hartig, 1841)

*Alloxysta* sp.

*Alloxysta* sp.1



*Alloxysta sp.2*  
*Alloxysta sp.3*  
*Alloxysta sp.A*  
*Alloxysta ?ullerichi* (Giraud, 1860)  
*Kleidotoma filicornis* Cameron, 1889  
*Kleidotoma ?hexatoma* Thomson, 1862  
*Kleidotoma longipennis* Cameron, 1889  
*Kleidotoma ?longipennis*  
*Kleidotoma marshalli* Cameron, 1889  
*Kleidotoma nr. affinis* Cameron, 1889  
*Kleidotoma pentatoma* Thomson, 1862  
*Kleidotoma sp.*  
*Kleidotoma ?tetratoma* Thomson, 1862  
*Lonchidia clavicornis* Thomson, 1862  
*Phaenoglyphis villosa* (Hartig, 1841)  
*Trybliographa ?atra* (Hartig, 1840)  
*Trybliographa cubitalis* (Hartig, 1841)  
*Trybliographa diaphana* (Hartig, 1841)  
*Trybliographa rapae* (Westwood, 1835)  
*Trybliographa rufipes* (Hartig, 1843)  
*Trybliographa simulatrix* (Ruthe, 1859)  
*Trybliographa sp.*  
*Xyalapsis ?armata*  
*Xyalapsis sp.*  
*Xyalaspis armata* (Giraud, 1860)  
*Zygosia urticeti* (Dahlbom, 1842)

Formicidae

\**Camponotus herculeanus* (Linnaeus, 1758) Jötnamaur  
\**Camponotus sp.*  
\**Camponotus truncatus* (Spinola, 1808)  
\**Camponotus vagus* (Scopoli, 1763)  
\**Crematogaster scutellaris* (Olivier, 1791)  
*Hypoponera punctatissima* (Roger, 1859) Húsamaur  
\**Lasius emarginatus* (Olivier, 1792)  
^*Lasius niger* (Linnaeus, 1758) Blökkumaur  
\**Leptothorax acervorum* (Fabricius, 1793)  
\**Monomorium destructor* (Jerdon, 1851)



- ^ *Monomorium pharaonis* (Linnaeus, 1758) Faraómaur  
\**Myrmicinae* ógr. A  
\**Myrmicinae* ógr. B  
\**Pheidole ?megacephala* (Fabricius, 1793)  
^ *Tapinoma melanocephalum* (Fabricius, 1793) Draugamaur  
^ *Tetramorium caespitum* (Linnaeus, 1758)

Ichneumonidae

- Aclastus gracilis* (Thomson, 1884)  
*Acrolyta nens* (Hartig, 1838)  
*Agrypon flaveolatum* (Gravenhorst, 1807)  
*Aoplus castaneus* (Gravenhorst, 1820)  
*Aptesis concolor* Holmgren, 1859  
*Atractodes ambiguus* Ruthe, 1859  
*Atractodes bicolor* Gravenhorst, 1829  
*Banchus palpalis* Ruthe, 1859 Laugar (3646) 20.6.2004  
*Barycnemis bellator* (Müller, 1776)  
*Campoletis* sp.  
*Campoletis varians* (Thomson, 1887)  
*Campoletis vexans* (Holmgren, 1860)  
*Coelichneumon impressor* (Zetterstedt, 1838)  
*Cratichneumon rufifrons* (Gravenhorst, 1829)  
*Cratichneumon* sp.  
*Cremnodes atricapillus* (Gravenhorst, 1815)  
*Ctenopelmatinae* ógr.  
*Ctenopelmatinae* ógr.  
*Ctenopelmatinae* sp.C  
*Ctenopelmatinae* Su.1  
*Ctenopelmatinae* Su.2  
*Diadegma boreale* Horstmann, 1980  
*Dialipsis exilis* Förster, 1871  
*Dicaelotus pumilus* (Gravenhorst, 1829)  
*Diplazon laetatorius* (Fabricius, 1781)  
*Diplazontinae* ógr.  
*Diplazontinae* Su.1  
*Endasys varipes* (Gravenhorst, 1829)  
*Enizemum ornatum* (Gravenhorst, 1829)  
*Gelis aegilis* (Fabricius, 1775)



- Gelis micrurus* (Förster, 1850)  
*Gelis nigritus* (Förster, 1850)  
*Gelis ?pumilus* (Förster, 1850)  
*Gelis ruficornis* Thunberg, 1827  
*Gelis sp.*  
*Gelis sp.A*  
*Gelis sp.B*  
*Gelis terebrator* (Ratzeburg, 1848)  
*Glypta consimilis* Holmgren, 1860  
*Helictes borealis* (Holmgren, 1855)  
*Hemiteles s.l. sp.*  
*Hemitelina*  
*Hemitelina sp.A*  
*Hemitelina sp.B*  
*Hemitelina sp.D*  
*Homotherus locutor* (Thunberg, 1824)  
*Homotherus magus* (Wesmael, 1855)  
*Hypamblys albopictus* (Gravenhorst, 1829)  
*Hyperbatus segmentator* (Holmgren, 1855)  
*Ichneumon extensorius* Linnaeus, 1758 Móanálvespa  
*Ichneumonidae ógr.*  
*Ichneumonidae Su.1*  
*Ichneumonidae Su.2*  
*Ichneumonidae Su.3*  
*Ichneumonidae Su.4*  
*Ichneumonidae Su.5*  
*Ichneumonidae Su.6*  
*Ichneumonidae Su.7*  
*Ichneumonidae Su.8*  
*Ichneumoninae ógr.*  
*Ichneumoninae Su.1*  
*Ichneumon latrator* Fabricius, 1781  
*Ichneumon ligatorius* Thunberg, 1824 Heiðanálvespa  
*Iseropus stercorator* (Fabricius 1793  
*Meloboris collector* (Thunberg, 1824)  
*Meloboris islandica* Hinz, 1969  
*Mesochorus pectoralis* Ratzeburg, 1844



- Mesochorus picticus* Thomson, 1886  
*Mesochorus punctipleuris* Thomson, 1886  
*Mesoleius geniculatus* Holmgren, 1855  
*Mesoleius nivalis* Holmgren, 1855  
*Mesoleptus* sp.  
*Ophion nigricans* (Ruthe, 1859)  
*Orthocentrinae* ógr.  
*Orthocentrinae* sp.A  
*Orthocentrinae* sp.B  
*Orthocentrus fulvipes* Gravenhorst, 1829  
*Orthocentrus* sp.A  
*Oxytorinae* ógr.  
*Phygadeuon brachyurus* Thomson, 1884  
*Phygadeuon cylindraceus* Ruthe, 1859  
*Phygadeuon detestator* (Thunberg, 1822)  
*Phygadeuon* sp.  
*Phygadeuon* sp.A  
*Phygadeuon* sp.B  
*Phygadeuontinae* ógr.  
*Phygadeuontinae* sp.  
*Phygadeuontinae* sp.2  
*Phygadeuontinae* sp.A  
*Phygadeuontinae* sp.B  
*Phygadeuontinae* sp.X  
*Phygadeuontinae* sp.Y  
*Phygadeuon tricops* Thomson, 1884  
*Phytodietus* sp.  
*Pimpla aethiops* Curtis, 1828  
*Pimpla arctica* Zetterstedt, 1838 Kjarnálvespa  
*Pimpla flavicoxis* Thomson, 1877 Beltanálvespa  
*Pimpla sodalis* Ruthe, 1859  
*Pimpla* sp.  
*Pimplinae* ógr.  
\**Pimplinae* sp.A  
*Platylabus pedatorius* (Fabricius, 1793)  
*Plectiscidea collaris* (Gravenhorst, 1829)  
*Plectiscidea hyperborea* (Holmgren, 1869)



*Plectiscidea peregrinus* (Ruthe, 1859)

*Plectiscidea* sp.

*Pleolophus brachypterus* (Gravenhorst, 1815)

*Polyaulon paradoxus* (Zetterstedt, 1838)

*Polytribax picticornis* (Ruthe, 1859)

\**Rhyssa amoena* Gravenhorst, 1829

\**Rhyssa persuasoria* (Linnaeus, 1758)

Sveðjunálvespa

*Rhyssa* sp.

*Saotis* sp.

*Saotis* sp.A

*Scambus atrocoxalis* (Ashmead, 1902)

*Scambus eucosmidarum* (Perkins, 1957)

*Scambus* sp.

*Sinophorus turionum* (Ratzeburg, 1844)

*Stenomacrus* cf. *affinator* Aubert, 1981

*Stenomacrus* sp.A

*Stibeantes infernalis* (Ruthe, 1859)

*Stilpnus tenebricosus* (Gravenhorst, 1829)

*Sussaba nigrithorax* XXXX

*Sussaba pulchella* (Holmgren, 1858)

*Syrphoctonus* cf. *incisus*

*Syrphoctonus* ?*dimidiatus* (Schrank, 1802)

*Syrphoctonus incisus* (Thomson, 1890)

*Syrphoctonus pictus* (Gravenhorst, 1829)

*Syrphoctonus signatus* (Gravenhorst, 1829)

*Syrphoctonus simulans* (Stelfox, 1941)

*Syrphoctonus* sp.

*Syrphoctonus* sp.A

*Syrphoctonus* sp.B

*Theroscopus esenbeckii* (Gravenhorst, 1815)

*Triclistus* sp.

^*Venturia canescens* (Gravenhorst, 1829)

*Woldstedtius flavolineatus* (Gravenhorst, 1829)

*Xenolytus bitinctus* (Gmelin, 1790)

#### Megaspilidae

*Conostigmus frontalis* (Thomson, 1859)

*Dendrocercus aphidum* (Rondani, 1877)





*Dendrocerus bifoveatus* (Kieffer, 1907)

*Dendrocerus rectangularis* (Kieffer, 1907)

*Dendrocerus* sp.

*Lagynodes pallidus* (Boheman, 1832)

*Megaspilinae*

Mymaridae

*Anagrus ensifer* Debauche, 1948

*Anagrus incarnatus* Haliday, 1833

*Anagrus* sp.

*Anaphes regulus* Walker, 1846

*Anaphes* sp.

*Cleruchus* sp.

*Mymaridae* sp.A

*Mymaridae* sp.B

*Mymaridae* sp.C

*Polynema atratum* Haliday, 1833

Pamphiliidae

*Acantholyda erythrocephala* (Linnaeus, 1758)

Furupéla

Platygastridae

*Allotropa conventus* Maneval, 1936

*Platygaster opacus* Ruthe, 1859

*Platygaster splendidula* Ruthe, 1859

*Platygastridae* sp.A

*Synopeas* sp.

Proctotrupidae

*Codrus* sp.?

*Cryptocerphus aculeator* (Haliday, 1839)

*Exallonyx ligatus* (Nees, 1834)

Pteromalidae

*Asaphes vulgaris* Walker, 1834

*Callimerismus ?suecicus*

*Callitula bicolor* Spinola, 1811

*Cryptoprymna atra* (Walker, 1833)

*Cyrtogaster vulgaris* Walker, 1833

*Eurydinota leptomera* Förster, 1878

*Halticoptera polita* (Walker, 1834)

*Lamprotatus* sp.

*Meraporus graminicola* Walker, 1834



*Nodisoplata diffinis* (Walker, 1874)  
*Pachyneuron grande* Thomson, 1878  
*Psychophagus omnivorus* (Walker, 1835)  
*Pteromalidae* ógr.  
*Pteromalidae* sp.1  
*Pteromalidae* sp.A  
*Pteromalidae* sp.B  
*Pteromalidae* sp.C  
*Pteromalidae* sp.D  
*Pteromalidae* sp.E  
*Pteromalidae* sp.F  
*Pteromalidae* sp.G  
*Pteromalidae* sp.H  
*Pteromalidae* Su.1  
*Pteromalidae* Su.2  
*Pteromalidae* Su.3  
*Pteromalidae* Su.4  
*Pteromalidae* Su.5  
*Pteromalidae* Su.6  
*Pteromalidae* Su.7  
*Seladerma ?alpestre* (Ruschka, 1912)  
*Seladerma convexum* Walker, 1834  
*Seladerma geniculatum* (Zetterstedt, 1838)  
*Seladerma parviclava* Thomson, 1876  
*Seladerma sabbas* (Walker, 1848)  
*Seladerma* sp.  
*Seladerma tarsale* (Walker, 1833)  
*Tomicobia promulus* (Walker, 1840)  
*Trichomalopsis fucicola* (Walker, 1835)  
Scelionidae  
*Baeus seminulum* Haliday, 1833  
*Scelionidae* ógr.  
*Telenomus nitidulus* (Thomson, 1860)  
*Trimorus flavipes* (Walker, 1836)  
*Trimorus ovata* (Thomson, 1859)  
*Trimorus pedestris* Trimorus ?pedestris (Nees, 1834)  
*Trimorus punctulator* (Ruthe, 1859)



*Trimorus sp.*

*Trimorus therycides* (Walker, 1836)

Siricidae

\**Sirex cyaneus* Fabricius, 1781

\**Sirex juvencus* (Linnaeus, 1758)

Blásveðja

\**Sirex longicauda* Middelkauff, 1948

\**Sirex noctilio* Fabricius, 1793

Svertusveðja

*Sirex sp.*

\**Sirex sp. A* *Sirex sp.A*

*Sirex sp. (týnt)*

\**Siricidae ógr.*

\**Urocerus albicornis* (Fabricius, 1781)

Skuggasveðja

\**Urocerus augur* (Klug, 1803)

\**Urocerus gigas* (Linnaeus, 1758)

Beltasveðja

\**Urocerus sah* (Mocsáry, 1881)

Gulsveðja

\**Xeris spectrum* (Linnaeus, 1758)

Fleinsveðja

Tenthredinidae

*Amauronematus amentorum* (Förster, 1854)

Reklapéla

*Amauronematus variator* (Ruthe, 1859)

*Ametastegia pallipes* (Spinola, 1808)

*Cladius brullei* (Dahlbom, 1835)

Hindberjapéla

*Dineura testaceipes* (Klug, 1816)

Reynipéla

*Nematus pavidus* Serville, 1823

*Nematus ribesii* (Scopoli, 1763)

Rifspéla

*Pachynematus annulatus* (Gimmerthal, 1834)

Njólápéla

*Pachynematus obductus* (Hartig, 1837)

Graspéla

*Pachynematus vagus* (Fabricius, 1781)

Starapéla

*Pristiphora coactula* (Ruthe, 1859)

*Pristiphora hyperborea* Malaise, 1921

*Scolioneura betuleti* (Klug, 1816)

Birkipéla

*Tenthredinidae ógr.*

*Tenthredinidae sp.A*

*Tenthredinidae sp.B*

*Tenthredinidae sp.C*

*Tenthredo colon* Klug, 1817

Vespidae

*Dolichovespula norwegica* (Fabricius, 1781)

Trjágeitungur



\**Polistes associus* Kohl, 1898

\**Polistes dominulus* (Christ, 1791)

\**Polistes gallicus* (Linnaeus, 1767)

\**Polistes nimphus* (Christ, 1791)

*Polistes* sp.

\**Vespa crabro* Linnaeus, 1758

Bolgeitungur

*Vespula germanica* (Fabricius, 1793)

Húsageitungur

†*Vespula rufa* (Linnaeus, 1758)

Roðageitungur

*Vespula vulgaris* (Linnaeus, 1758)

Holugeitungur

Ætt ógr. Hymenoptera

*Ceraphronidae* ógr.

*Chalcidoidea*

*Cynipoidea*

*Hymenoptera* ógr.

Æðvængja

Lepidoptera

Argyresthiidae

*Argyresthia conjugella* Zeller, 1839

Reyniglitmölur

*Argyresthia goedartella* (Linnaeus, 1758)

Birkiglitmölur

*Yponomotidae*

Coleophoridae

*Coleophora algidella* Staudinger, 1857

Hærupysja

*Coleophora alticolella* Zeller, 1848

Sefpysja

Cossidae

\**Cossus cossus* (Linnaeus, 1758)

Crambidae

\**Anania hortulata* (Linnaeus, 1758)

Skjóslæða

*Crambus pascuella* (Linnaeus, 1758)

Reyrslæða

^*Duponchelia fovealis* Zeller, 1847

Spenaslæða

*Gesneria centuriella* (Denis & Schiffermüller, 1775)

Eyraslæða

"*Nomophila noctuella* (Denis & Schiffermüller, 1775)

Föruslæða

\**Sufetula boileauae* Nel, 2022

Pálmaslæða

"*Udea ferrugalis* (Hübner, 1796)

Ryðslæða

\**Uresiphita gilvata* (Fabricius, 1794)

Netluslæða

Erebidae

\**Antichloris cf. viridis*

Satínbursti

\**Arctia caja* (Linnaeus, 1758)

Bjarnarbursti

"*Catocala fraxini* (Linnaeus, 1758)

Blæasparbursti

"*Hypena scabra* (Fabricius, 1798)

Kálbursti

*Orgyia antiqua* (Linnaeus, 1758)

Skógbursti



* <i>Phragmatobia fuliginosa</i> (Linnaeus, 1758)	Rúbínbursti
" <i>Scoliopteryx libatrix</i> (Linnaeus, 1758)	Víðibursti
* <i>Tyria jacobaeae</i> (Linnaeus, 1758)	Tígribursti
Eriocraniidae	
<i>Heringocrania unimaculella</i> (Zetterstedt, 1839)	Birkikemba
Gelechiidae	
<i>Bryotropha similis</i> (Stainton, 1854)	Mosabugða
<i>Gnorimoschema valesiella</i> (Staudinger, 1877)	Hagabugða
* <i>Phthorimaea operculella</i> (Zeller, 1873)	
<i>Scrobipalpa atriplicella</i> (Fischer von Röslerstamm,	Fjörubugða
<i>Scrobipalpa samadensis</i> (Pfaffenzeller, 1870)	Strandbugða
^ <i>Sitotroga cerealella</i> (Olivier, 1789)	Kornbugða
Geometridae	
" <i>Chloroclysta miata</i> (Linnaeus, 1758)	Grænfeti
<i>Dysstroma citrata</i> (Linnaeus, 1761)	Skrautfeti
<i>Entephria caesiata</i> (Denis & Schiffermüller, 1775)	Klettafeti
<i>Entephria flavicinctata</i> (Hübner, 1813)	Bergfeti
<i>Epirrhoe alternata</i> (Müller, 1764)	Möðrufeti
<i>Erannis defoliaria</i> (Clerck, 1759)	Skógarfeti
<i>Eupithecia nanata</i> (Hübner, 1813)	Lyngfeti
<i>Eupithecia plumbeolata</i> (Haworth, 1809)	Fræfeti
<i>Eupithecia pusillata</i> (Denis & Schiffermüller, 1775)	Einifeti
<i>Eupithecia satyrata</i> (Hübner, 1813)	Mófeti
<i>Geometridae ógr.</i>	
<i>Hydriomena furcata</i> (Thunberg, 1784)	Víðifeti
* <i>Hylaea fasciaria</i> (Linnaeus, 1758)	
* <i>Idaea inquinata</i> (Sopoli, 1763)	Húsfeti
<i>Operophtera brumata</i> (Linnaeus, 1758)	Haustfeti
" <i>Orthonama obstipata</i> (Fabricius, 1794)	Fjallafeti
* <i>Perizoma alchemillata</i> (Linnaeus, 1758)	
<i>Perizoma blandiata</i> (Denis & Schiffermüller, 1775)	Hvítfeti
<i>Rheumaptera hastata</i> (Linnaeus, 1758)	Birkifeti
* <i>Triphosa dubitata</i> (Linnaeus, 1758)	Stafafeti
<i>Xanthorhoe decoloraria</i> (Esper, 1806)	Túnfeti
<i>Xanthorhoe designata</i> (Hufnagel, 1767)	Mýrfeti
Glyphipterigidae	
* <i>Glyphipterix simpliciella</i> (Stephens, 1834)	
Gracillariidae	



---

<i>Phyllonorycter emberizaepenellus</i> (Brouché, 1834)	Toppagullmölur
Lasiocampidae	
* <i>Artace cf. cribraria</i> (Ljungh, 1825)	
* <i>Euthrix potatoia</i> (Linnaeus, 1758)	
* <i>Lasiocampa quercus</i> (Linnaeus, 1758)	Eikarspinnir
Limacodidae	
* <i>Acharia stimulea</i> (Clemens, 1860)	Söðulsnegla
* <i>Phobetron hipparchia</i> (Cramer, 1777)	Apasnegla
Lycaenidae	
* <i>Lampides boeticus</i> (Linnaeus, 1767)	
Lyonetiidae	
* <i>Lyonetia clerkella</i> (Linnaeus, 1758)	
Momphidae	
<i>Mompha conturbatella</i> (Hübner, 1819)	Eyrastúfa
Noctuidae	
" <i>Agrochola circellaris</i> (Hufnagel, 1766)	Asparygla
" <i>Agrotis ipsilon</i> (Hufnagel, 1766)	Garðygla
" <i>Agrotis segetum</i> (Denis & Schiffermüller, 1775)	Kálygla
<i>Apamea crenata</i> (Hufnagel, 1766)	Dumbygla
<i>Apamea exulis</i> (Lefebvre, 1836)	Hrossygla
* <i>Apamea monoglypha</i> (Hufnagel, 1766)	
<i>Apamea remissa</i> (Hübner, 1809)	Stráygla
<i>Apamea sp.</i>	
<i>Apamea crenata/remissa</i>	
" <i>Autographa gamma</i> (Linnaeus, 1758)	Gammaygla
<i>Ceramica pisi</i> (Linnaeus, 1758)	Ertuygla
<i>Cerapteryx graminis</i> (Linnaeus, 1758)	Grasygla
<i>Diarsia mendica</i> (Fabricius, 1775)	Jarðygla
" <i>Eupsilia transversa</i> (Hufnagel, 1766)	Stjörnuygla
<i>Eurois occulta</i> (Linnaeus, 1758)	Úlfygla
<i>Euxoa ochrogaster</i> (Guenée, 1852)	Brandygla
" <i>Fabula zollikoferi</i> (Freyer, 1836)	
" <i>Hadula trifolii</i> (Hufnagel, 1766)	Blöðkuygla
* <i>Helicoverpa armigera</i> (Hübner, 1808)	Brumygla
" <i>Helotropha leucostigma</i> (Hübner, 1808)	Sigðygla
" <i>Hydraecia micacea</i> (Esper, 1789)	Súruygla
<i>Hypocoena stigmatica</i> (Eversmann, 1855)	Sandygla
* <i>Lithophane consocia</i> (Borkhausen, 1792)	



---

* <i>Macdunnoughia confusa</i> (Stephens, 1850)	
* <i>Mesapamea secalis</i> (Linnaeus, 1758)	
<i>Mniotype adusta</i> (Esper, 1790)	Hringyla
" <i>Mythimna pallens</i> (Linnaeus, 1758)	Kornygla
" <i>Mythimna unipuncta</i> (Haworth, 1809)	Punktygla
" <i>Noctua comes</i> Hübner, 1808	
<i>Noctua pronuba</i> (Linnaeus, 1758)	Gulygla
<i>Noctuidae</i> ógr.	
* <i>Pandesma robusta</i> (Walker, 1858)	
† <i>Paradrina clavipalpis</i> (Scopoli, 1763)	Húsygla
" <i>Parastichtis suspecta</i> (Hübner, 1817)	
" <i>Peridroma saucia</i> (Hübner, 1808)	Dílaygla
" <i>Phlogophora meticulosa</i> (Linnaeus, 1758)	Skrautygla
" <i>Rhizedra lutosa</i> (Hübner, 1803)	Reyrygla
<i>Rhyacia quadrangula</i> (Zetterstedt, 1839)	Gráygla
* <i>Spodoptera exigua</i> (Hübner, 1808)	Piparygla
<i>Standfussiana lucerneae</i> (Linnaeus, 1758)	Bergygla
<i>Syngrapha interrogationis</i> (Linnaeus, 1758)	Silfurygla
* <i>Thysanoplusia orichalcea</i> (Fabricius, 1775)	
" <i>Xestia c-nigrum</i> (Linnaeus, 1758)	Netluygla
" <i>Xylena exsoleta</i> (Linnaeus, 1758)	Kvistrygla
<i>Xylena vetusta</i> (Hübner, 1813)	Kjarrygla
<i>Notodontidae</i>	
* <i>Cerura vinula</i> (Linnaeus, 1758)	
<i>Nymphalidae</i>	
* <i>Aglais io</i> (Linnaeus, 1758)	Páfiðrildi
* <i>Aglais milberti</i> (Dodart, 1819)	
* <i>Aglais urticae</i> (Linnaeus, 1758)	Netlufiðrildi
* <i>Araschnia levana</i> (Linnaeus, 1758)	Perlufiðrildi
* <i>Argynnis paphia</i> (Linnaeus, 1758)	
* <i>Danaus plexippus</i> (Linnaeus, 1758)	Kóngafiðrildi
* <i>Euphaedra gausape</i> (Butler, 1866)	
* <i>Maniola jurtina</i> (Linnaeus, 1758)	
* <i>Nymphalis antiopa</i> (Linnaeus, 1758)	Sorgarfiðrildi
* <i>Nymphalis vaualbum</i> (Denis & Schiffermüller, 1775)	
* <i>Nymphalis xanthomelas</i> (Denis & Schiffermüller, 1775)	Rjóðurfiðrildi
* <i>Pararge aegeria</i> (Linnaeus, 1758)	Puntfiðrildi



---

* <i>Polygonia c-album</i> (Linnaeus, 1758)	
" <i>Vanessa atalanta</i> (Linnaeus, 1758)	Aðmírall
" <i>Vanessa cardui</i> (Linnaeus, 1758)	Þistilfiðrildi
* <i>Vanessa virginiensis</i> <i>Vanessa virginensis</i> (Drury, 1773)	
Oecophoridae	
^ <i>Endrosis sarcitrella</i> (Linnaeus, 1758)	Gestamotti
^ <i>Hofmannophila pseudospretella</i> (Stainton, 1849)	Húsmotti
Papilionidae	
* <i>Papilio machaon</i> Linnaeus, 1758	Svölufiðrildi
Pieridae	
* <i>Anthocharis cardamines</i> (Linnaeus, 1758)	
* <i>Colias croceus</i> (Fourcroy, 1785)	Smáraskjanni
* <i>Pieris brassicae</i> (Linnaeus, 1758)	Kálskjanni
* <i>Pieris napi</i> (Linnaeus, 1758)	Æðaskjanni
* <i>Pieris rapae</i> (Linnaeus, 1758)	Engjaskjanni
Plutellidae	
" <i>Plutella xylostella</i> (Linnaeus, 1758)	Kálmölur
<i>Rhigognostis senilella</i> (Zetterstedt, 1839)	Dílamölur
Pterophoridae	
" <i>Amblyptilia acanthadactyla</i> (Hübner, 1813)	Flikrufön
" <i>Emmelina monodactyla</i> (Linnaeus, 1758)	Flökkufön
* <i>Stenoptilia aridus</i> (Zeller, 1847)	
<i>Stenoptilia islandicus</i> (Staudinger, 1857)	Steinfön
Pyralidae	
* <i>Apomyelois ceratoniae</i> (Zeller, 1839)	
^ <i>Ephestia elutella</i> (Hübner, 1796)	Kakóglæða
^ <i>Ephestia kuehniella</i> Zeller, 1879	Kornglæða
^ <i>Plodia interpunctella</i> (Hübner, 1813)	Hnetuglæða
<i>Pyla fusca</i> (Haworth, 1811)	Víðiglæða
Saturniidae	
* <i>Hyalophoa cecropia</i> (Linnaeus, 1758)	
Sphingidae	
" <i>Acherontia atropos</i> (Linnaeus, 1758)	Kúpusvarmi
* <i>Agrius cingulata</i> (Fabricius, 1775)	
" <i>Agrius convolvuli</i> (Linnaeus, 1758)	Kóngasvarmi
* <i>Deilephila elpenor</i> (Linnaeus, 1758)	Ranasvarmi
" <i>Hippotion celerio</i> (Linnaeus, 1758)	
" <i>Hyles gallii</i> (Rottemburg, 1775)	Möðrusvarmi
* <i>Hyles lineata</i> (Fabricius, 1775)	Línusvarmi





* <i>Laothoe populi</i> (Linnaeus, 1758)	Asparsvarmi
" <i>Macroglossum stellatarum</i> (Linnaeus, 1758)	Kólibrísvarmi
* <i>Smerinthus ocellata</i> (Linnaeus, 1758)	
* <i>Sphinx chersis</i> Hübner, 1823	Asksvarmi
* <i>Theretra alecto</i> (Linnaeus, 1758)	
* <i>Xylophanes tersa</i> (Drury, 1770)	
Tineidae	
<i>Monopis laevigella</i> (Denis & Schiffermüller, 1775)	Ullarmölur
* <i>Nemapogon granella</i> (Linnaeus, 1758)	
* <i>Nemapogon</i> sp.	
* <i>Nemapogon variatella</i> (Clemens, 1859)	
* <i>Opogona sacchari</i> (Bojer, 1856)	Bananamölur
* <i>Tinea pellionella</i> Linnaeus, 1758	
* <i>Tinea translucens</i> Meyrick, 1917	
^ <i>Tineola bisselliella</i> (Hummel, 1823)	Fatamölur
Tortricidae	
<i>Acleris maccana</i> (Treitschke, 1835)	Lyngvefari
<i>Acleris notana</i> (Donovan, 1806)	Birkivefari
<i>Acleris</i> sp.	
<i>Apotomis sororculana</i> (Zetterstedt, 1840)	Kjarrvefari
* <i>Cacoecimorpha pronubana</i> Hübner, 1799	Sýprusvefari
* <i>Clepsis spectrana</i> (Treitschke, 1830)	Glætuvefari
<i>Cochylis dubitana</i> (Hübner, 1799)	Flikruvefari
" <i>Crociosema plebejana</i> Zeller, 1847	
* <i>Cydia deshaisiana</i> (Lucas, 1858)	Baunavefari
* <i>Cydia strobilella</i> (Linnaeus, 1758)	Köngulvefari
<i>Eana osseana</i> (Scopoli, 1763)	Grasvefari
<i>Epinotia caprana</i> (Fabricius, 1798)	Slútvefari
<i>Epinotia nisella</i> (Clerck, 1759)	Reklavefari
<i>Epinotia solandriana</i> (Linnaeus, 1758)	Tígulvefari
<i>Epinotia</i> sp.	
<i>Epinotia tedella</i> (Clerck, 1759)	Grenivefari
<i>Lobesia littoralis</i> (Humphreys & Westwood, 1845)	Hnappvefari
<i>Notocelia rosaecolana</i> (Doubleday, 1850)	Rósavefari
<i>Zeiraphera griseana</i> (Hübner, 1799)	Barrvefari
Zygaenidae	
* <i>Zygaena trifolii</i> (Esper, 1783)	
Ætt ógr. Lepidoptera	



<i>Lepidoptera</i> ógr.	Fiðrildi
Megaloptera	
Sialidae	
* <i>Sialis</i> sp.	
Microcoryphia	
Machilidae	
<i>Petrobius brevistylis</i> Carpenter, 1913	Kampaskotta
<i>Petrobius</i> sp.	
Neuroptera	
Chrysopidae	
" <i>Chrysoperla carnea</i> (Stephens, 1836)	Gullglyrna
Hemerobiidae	
<i>Hemerobius fenestratus</i> Tjeder, 1932	
<i>Hemerobius marginatus</i> Stephens, 1836	
<i>Hemerobius</i> sp.	
<i>Hemerobius stigma</i> Stephens, 1836	
<i>Wesmaelius nervosus</i> (Fabricius, 1793)	Birkiglyrna
Odonata	
Aeshnidae	
* <i>Aeshna grandis</i> (Linnaeus, 1758)	
* <i>Aeshna mixta</i> Latreille, 1805	
" <i>Hemianax ephippiger</i> (Burmeister, 1839)	
Orthoptera	
Acrididae	
* <i>Acrididae</i> ógr.	
* <i>Anacridium aegyptium</i> (Linnaeus, 1758)	Rákaspretta
Gryllidae	
* <i>Acheta domesticus</i> (Linnaeus, 1758)	Húskrybba
<i>Gryllidae</i> ógr.	Krybbuætt
<i>Gryllus bimaculatus</i> DeGeer, 1773	
* <i>Gryllus campestris</i> Linnaeus, 1758	
<i>Gryllus</i> sp.	
Gryllotalpidae	
* <i>Gryllotalpa</i> sp.	Moldkrybba
Rhaphidophoridae	
† <i>Tachycines asynamorus</i> Adelung, 1902	Kryppuspretta
Tettigoniidae	
* <i>Decticus albifrons</i> (Fabricius, 1775)	Sverðspretta
* <i>Tettigonia viridissima</i> (Linnaeus, 1758)	Laufspretta
* <i>Tettigoniidae</i> ógr.	
Plecoptera	



Capniidae

*Capnia vidua* Klapálek, 1904

Steinfluga

Psocodea

Echinophthiriidae

*Echinophthirius horridus* (v. Olfers, 1816)

Selalús

Elipsocidae

*Elipsocus hyalinus* (Stephens, 1836)

Lerkibandlús

*Elipsocus pumilis* (Hagen, 1861)

Birkibandlús

Goniodidae

*Zlotorzzyckella lagopi* (Linnaeus, 1758)

Rjúpulús

Lachesillidae

^*Lachesilla pedicularia*

Linognathidae

*Linognathus setosus* (v. Olfers, 1816)

Hundasoglús

*Solenopotes capillatus* Enderlein, 1914

Nautalús

Liposcelididae

^*Liposcelis decolor* (Pearman, 1925)

Skápalús

Menoponidae

*Actornithophilus bicolor* (Piaget, 1880)

*Actornithophilus grandiceps* (Piaget, 1880)

*Actornithophilus ochraceus* (Nitzsch, 1818)

*Actornithophilus spinulosus* (Piaget, 1880)

*Anseriphilus pectiniventris* (Harrison, 1916)

*Austromenopon brevifimbriatum* (Piaget, 1880)

*Austromenopon nigropleurum* (Denny, 1842)

*Austromenopon phaeopodis* (Schrank, 1802)

*Ciconiphilus decimfasciatus* (Boisduval & Lacordaire,

*Colpocephalum fregili* (Denny, 1842)

*Eidmanniella pustulosa* (Nitzsch in Giebel, 1866)

*Eomenacanthus stramineus* (Nitzsch, 1818)

*Holomenopon brevithoracicum* (Piaget, 1880)

*Menacanthus chrysophaeus* (Kellogg, 1896)

*Menopon gallinae* (Linnaeus, 1758)

*Myrsidea vinlandica islandica* Klockenhoff & Schirmers, Krummalús

*Trinoton anserinum* (J.C. Fabricius, 1805)

Mesopsocidae

*Mesopsocus unipunctatus* (Müller, 1764)

Skógarlús

Pediculidae

*Pediculus capitis* DeGeer, 1778

Höfuðlús

†*Pediculus humanus* Linnaeus, 1758

Fatalús

\* innflutt / imported    ^ innanhúss / indoors    " með vindum / airborne    † útdauð / extinct    ? óljós / unclear



Phlopteridae

<i>Anaticola anseris</i> (Linnaeus, 1758)	
<i>Anatoecus icterodes icterodes</i> (Nitzsch, 1818)	
<i>Brueelia corydalla</i> Timmermann, 1950	
<i>Brueelia iliaci</i> (Denny, 1842)	
<i>Carduiceps zonarius</i> (Nitzsch in Giebel, 1866)	
<i>Craspedonirmus colymbinus</i> (Denny, 1842)	
<i>Degeeriella discocephala</i> (Burmeister, 1838)	Arnarlús
<i>Kelerinirmus rufus drosti</i> (Timmermann, 1955)	Smyrilslús
<i>Kelerinirmus rufus fasciatus</i> (Rudow, 1869)	Fálkalús
<i>Koeniginirmus lineolatus</i> (Nitzsch in Giebel, 1866)	
<i>Koeniginirmus normifer normifer</i> (Grube, 1851)	
<i>Koeniginirmus ornatus ornatus</i> (Grube, 1851)	
<i>Koeniginirmus ornatus paulsschulzei</i> (Timmermann,	
<i>Koeniginirmus sellatus</i> (Burmeister, 1838)	
<i>Lagopoecus affinis</i> (Children, 1836)	
<i>Luniceps actophilus</i> (Kellogg & Chapman, 1899)	
<i>Luniceps numenii phaeopi</i> (Dennis, 1842)	
<i>Mjoberginirmus alcae</i> (Denny, 1842)	
<i>Ornithobius bucephalus</i> (Giebel, 1874)	
<i>Pectinopygus bassani</i> (O. Fabricius, 1780)	
<i>Penenirmus albiventris</i> (Scopoli, 1763)	
<i>Perineus nigrolimbatus</i> (Giebel, 1874)	
<i>Philichthyophaga gyricornis</i> (Denny, 1842)	
<i>Phlopterus corvi</i> (Linnaeus, 1758)	
<i>Phlopterus fringillae</i> (Scopoli, 1772)	
<i>Phlopterus ocellatus</i> (Scopoli, 1763)	
<i>Quadriceps auratus</i> (Haan, 1829)	
<i>Quadriceps charadrii</i> (Linnaeus, 1758)	
<i>Quadriceps fissus</i> (Burmeister, 1838)	
<i>Quadriceps furvus</i> (Burmeister, 1838)	
<i>Quadriceps hiaticulae</i> (O. Fabricius, 1780)	
<i>Quadriceps strepsilaris</i> (Denny, 1842)	
<i>Saemundssonía calva</i> (Kellogg, 1896)	
<i>Saemundssonía celidoxa</i> (Burmeister, 1838)	
<i>Saemundssonía cephalus</i> (Denny, 1842)	
<i>Saemundssonía conica</i> (Denny, 1842)	



<i>Saemundssonina cordiceps</i> (Giebel, 1874)	
<i>Saemundssonina euryrhyncha</i> (Giebel, 1874)	
<i>Saemundssonina fraterculae</i> (Overgaard, 1942)	
<i>Saemundssonina grylle</i> (O. Fabricius, 1780)	
<i>Saemundssonina haematopi</i> (Linnaeus, 1758)	
<i>Saemundssonina lari breviappendicula</i> (Piaget, 1880)	
<i>Saemundssonina lari gonothorax</i> (Giebel, 1874)	
<i>Saemundssonina lari lari</i> (O. Fabricius, 1780)	
<i>Saemundssonina lari lariphaga</i> Eichler, 1950	
<i>Saemundssonina lari pagophilae</i> Timmermann, 1949	
<i>Saemundssonina lari tridactylae</i> Timmermann, 1949	
<i>Saemundssonina melanocephalus</i> (Burmeister, 1838)	
<i>Saemundssonina merguli</i> (Denny, 1842)	
<i>Saemundssonina occidentalis</i> (Kellogg, 1896)	
<i>Saemundssonina platygaster platygaster</i> (Denny, 1842)	
<i>Saemundssonina scolopacisphaeopodis</i>	
<i>Saemundssonina sterna sterna</i> (Linnaeus, 1758)	
<i>Saemundssonina thalassidromae incisa</i> Timmermann,	Sjósvölulús
<i>Saemundssonina tringae variabilis</i> (Denny, 1842)	
<i>Trabeculus aviator</i> (Evans, 1912)	Skrofulús
Psyllipsocidae	
^ <i>Dorypteryx domestica</i> Smithers, 1958	Parketlús
<i>Psocoptera indet.</i>	Ryklús
^ <i>Psyllipsocus ramburii</i> Sélys Longchamps, 1872	
Pthiridae	
<i>Pthirus pubis</i> (Linnaeus, 1758)	Flatlús
Ricinidae	
<i>Ricinus sp.</i>	
Sphaeropsocidae	
^ <i>Badonnelia titei</i> Pearman, 1953	Kúlulús
Trichodectidae	
<i>Bovicola bovis</i> (Linnaeus, 1758)	Kúanaglús
<i>Bovicola ovis</i> (Schrank, 1781)	Fellilús
<i>Felicola subrostratus</i> (Burmeister, 1838)	Kattanaglús
* <i>Trichodectes canis</i> (DeGeer, 1778)	Hundanaglús
<i>Werneckiella equi</i> (Denny, 1842)	Hrossanaglús
Trogiidae	
^ <i>Cerobasis annulata</i> (Hagen, 1865)	



---

<i>Cerobasis guestfalica</i> (Kolbe, 1880)	
^ <i>Lepinotus patruelis</i> Pearman, 1931	Skræðulús
^ <i>Trogium pulsatorium</i> (Linnaeus, 1758)	Bóklús
Raphidioptera	
Raphidiidae	
* <i>Raphidiidae</i> ógr.	
" <i>Xanthostigma xanthostigma</i> (Schummel, 1832)	Snákvængja
Siphonaptera	
Ceratophyllidae	
<i>Ceratophyllus borealis</i> Rothschild, 1907	
<i>Ceratophyllus gallinae</i> (Schrank, 1803)	Hænsnafló
<i>Ceratophyllus garei</i> Rothschild, 1902	Dúnfló
^ <i>Ceratophyllus sciurorum</i> (Schrank, 1803)	Minkafló
<i>Ceratophyllus</i> sp.	
<i>Ceratophyllus vagabundus</i> (Boheman, 1866)	
<i>Dasypsyllus gallinulae gallinulae</i> (Dale, 1878)	
<i>Mioctenopsylla arctica</i> Rothschild, 1922	
<i>Nosopsyllus fasciatus</i> (Bosc d'Antic, 1800)	Rottufló
Ctenophthalmidae	
<i>Ctenophthalmus agyrtes</i> Heller, 1896	Músafló
Pulicidae	
* <i>Ctenocephalides felis</i> (Bouché, 1835)	Kattafló
† <i>Pulex irritans</i> Linnaeus, 1758	Mannafló
Thysanoptera	
Phlaeothripidae	
<i>Haplothrips aculeatus</i> (Fabricius, 1803)	
Thripidae	
<i>Apterothrips secticornis</i> (Trybom, 1896)	Grastrippa
<i>Aptinothrips rufus</i> Haliday, 1836	
<i>Aptinothrips stylifer</i> Trybom, 1894	
^ <i>Frankliniella occidentalis</i> (Pergande, 1895)	
^ <i>Parthenothrips dracaenae</i> (Heeger, 1854)	Pálmatrippa
<i>Thripidae</i> ógr.	
^ <i>Thrips tabaci</i> Lindeman, 1889	Nellikutrippa
<i>Thrips trehernei</i> Priesner, 1927	
<i>Thrips vulgatissimus</i> Haliday, 1836	Blómatrippa
Trichoptera	
Apataniidae	
<i>Apatania zonella</i> (Zetterstedt, 1840)	Lækjabytta
Limnephilidae	

---



<i>Grammotaulius nigropunctatus</i> (Retzius, 1783)	Flóðbytta
<i>Limnephilidae</i> ógr.	Vorfluga
<i>Limnephilus affinis</i> Curtis, 1834	Lindabytta
<i>Limnephilus decipiens</i> (Kolenati, 1848)	Sefbytta
<i>Limnephilus elegans</i> Curtis, 1834	Glæsibytta
<i>Limnephilus fenestratus</i> (Zetterstedt, 1840)	Flikrabytta
<i>Limnephilus griseus</i> (Linnaeus, 1758)	Grábytta
<i>Limnephilus picturatus</i> McLachlan, 1875	Tjarnabytta
<i>Limnephilus sparsus</i> Curtis, 1834	Sytrubytta
<i>Micropterna sequax</i> McLachlan, 1875	
<i>Potamophylax cingulatus</i> (Stephens, 1837)	Straumbytta
Phryganeidae	
<i>Agrypnia picta</i> Kolenati, 1848	Starbytta
Zygentoma	
Lepismatidae	
^ <i>Lepisma saccharina</i> Linnaeus, 1758	Silfurskotta
^ <i>Thermobia domestica</i> (Packard, 1837)	Ylskotta
<b>Malacostraca</b>	
Isopoda	
Armadillidiidae	
^ <i>Armadillidium depressum</i> (Brandt, 1833)	Knattlodka
^ <i>Armadillidium nasutum</i> Budde-Lund, 1885	Kúlulodka
Asellidae	
<i>Asellus aquaticus</i> (Linnaeus, 1758)	
Cylisticidae	
<i>Cylisticus convexus</i> (De Geer, 1778)	Garðalodka
Ligiidae	
<i>Ligia oceanica</i> Linnaeus, 1767	Sölvahrútur
Oniscidae	
<i>Oniscus asellus</i> Linnaeus, 1758	Varmalodka
Porcellionidae	
^ <i>Porcellio dilatatus</i> Brandt, 1833	Breiðlodka
<i>Porcellio scaber</i> Latreille, 1804	Grálodka
Trichoniscidae	
<i>Trichoniscus pusillus</i> Brandt, 1833	Dverglodka
<b>Paupoda</b>	
Tetaceromerata	
Paupodidae	
<i>Amphipauropus</i> sp.	
<b>Symphyla</b>	
Scolopendrellida	



Scutigerellidae

*Scutigerella* sp.